

FELTOUCH

SUSTAINABLE ACOUSTIC DESIGN

CATALOG

feltouch.com

©Copyright 2025

ABOUT

Feltouch is a manufacturing and product development company specializing in PET felt with advanced fibre & non-woven textile technology. Our main target is to supply a diverse range of consumer, commercial and innovative industrial felt products to markets all over the world.We design high performance acoustic absorbers using unique & smart designs for all interior spaces to improve speech intelligibility, well being, concentration and performance. Feltouch offer various kind of solutions through range of standard or customizable products tailored to projects. We have a limitless will to work alongside architects, interior designers and facility managers to offer the best possible acoustic, acoustic lighting and decorative outcome for interiors.



We are focused on to discover the customer needs and poke to deliver them. We are available to provide free service about our products on acousitcs and interior design. We have limitless will to work alongside architects, interior designers and facility planners to offer the most efficient lighting, acoustic and decorative outcome for interior spaces. It is our responsibility to offer market based creative solutions including niche products to meet specialized customers needs. On behalf of the experiences behind the Start-up harmony, continuous diversification, perfectual growth and sustainability are basic principles of Feltouch team.

CERTIFICATES

ACOUSTIC CERTIFICATES
ASTM C423 (US Standard)
EN ISO 354 (EU Standard)

CERTIFICATE OF PRODUCT CONFORMITY
EN 60598 (Lighting)

CERTIFICATE OF PRODUCY CONFORMITY
EU 305/2011

ABRASSION
EN ISO 12947 / Result Performance 'A'

DECLARE
Declare Cdph Standard method v1.2-201 / Result '10 + Years'

MOİSTURE RESISTANCE
EN 13964 2014 / Result 'Class B'

CLASSIFICATION OF RECATION TO FIRE
EN 13501 / Result 'B-s1,d0'
EN ISO/IEC 17025 / Result 'Class A'
Japan Standard 'Pass'

THE QUALITY MANAGEMENT SYSTEM
ISO 9001:2015

THE ENVIRONMENTAL MANAGEMET SYSTEM
ISO 14001:2015

UV EXPOSURE TESTİNG
ISO 4892-32016 / Result '5-4'

BLEACH CLEANABLE
ISO 105E03 / Result '5-4'
Environmental Lables and Declarations
ISO 14025-2010: Labels / Result 'TIP III'

EKOTEKS
ISO 1833 / Result '100% Polyester'
Fibre Composition

ISO 9237:1995 / Result '387.9 1/m^2'/sn'
Air Permeability

ISO 4920:2012 / Result 'ISO 0'
Spray Test

ISO 14419:2010 / Result '0 D'
Oil Repellency

ISO 105 B02:1994 / Result '6+'
Light Fastness Grade

SNV 195 651:1968 / Result '1'
Sensoric Odour

ISO 14184-1:2011 Low VOC / Result 'N.D'
Formaldehyde-Free

ISO 20743:2013 / Result 'Strong Efficacy'
%99.9 Antibacterial structure

Superior thermal insulating 0,040 W/mK

MAS CERTIFIED GREEN
CDPH Standard Method v1.2

MATERIAL SAFETY

Declare.

6 MM / 12 MM ACOUSTIC PET FELT FELTOUCH

Final Assembly: Duzce, Turkey
Life Expectancy: 10+ Year(s)
End of Life Options: Salvageable/Reusable in its Entirety, Take Back Program (Zeroburn.org), Recyclable (100%)
EU CoC Screened: Does Not Contain

Ingredients:

Recycled PET Fibers : Polyethylene Terephthalate; **Virgin Polyester Fibers:** Polyethylene Terephthalate

Living Building Challenge Criteria: Compliant

I-13 Red List:
■ LBC Red List Free
□ LBC Red List Approved
□ Declared

% Disclosed: 100% at 100ppm
VOC Content: Not Applicable

I-10 Interior Performance: CDPH Standard Method v1.2-2017
I-14 Responsible Sourcing: Not Applicable

FEL-0001
EXP. 01 JUN 2023
SCREENED: 25 MAY 2022
Original Issue Date: 2022

MANUFACTURER RESPONSIBLE FOR LABEL ACCURACY
INTERNATIONAL LIVING FUTURE INSTITUTE℠ living-future.org/declare

Declare. Türkiye Döngüsel Ekonomi Platformu Efectis

ACOUSTIC SOLUTIONS



ACOUSTIC DESIGN



ACOUSTIC ENGINEERING

We are proud as the company that performs the most acoustic tests. BLX is accredited for each product with expert engineers in the acoustic laboratory environment. We publish with versions conforming to European and American standards.

We recommend our products with acoustic reports for interior spaces according to their values.



PRODUCT FEATURES

High Acoustic performance (EN-11654) up to class A
Fire Reterdant and self-extinguishing (EN-13501) B,S1,d0
Low VOC, formaldehyde-free (ISO-14184)
Superior thermal insulating 0,040 W/mK
Light fastness grade 6+ (ISO-105 B02)
%99.9 Antibacterial structure (ISO-20743)
Long lasting moulded and resistant to impact, moisture and humidity
Compared to alternative materials; they are extremely lightweight, apx.1,5kg / M2
Designed for easy assembly and installation
Easy to clean with a damp cloth or vacuum cleaner

DESIGNERS



AYÇA AKKAYA KUL
Architect & Industrial Designer



ALİ BERKMAN
Lighting Designer



DAVID FOX
Designer



YİĞİT ÖZER
Product Designer



EMMA ROBSON
Designer



MELİKA ÖZER
Industrial Product Designer



RIANNE KOENS
Designer

MANUFACTURING AND DEVELOPMENT

We are producing in an area of 13000 square meters in Düzce Turkey. As the leader of the world's largest and highest quality formed felt technology, we offer new designs every year.

7 Natural felt We offer a wide range of colors with 33 Mandarin colours. By offering acoustic and lighting comfort together, we provide sustainable comfort to users.



AWARDS

2025 RED DOT DESIGN AWARDS
Modular Lighting Collection / Segment & Step Lighting

2025 IF DESIGN AWARDS
Modular Lighting Collection / Segment & Step Lighting

2024 ALTIN CEKUL AWARDS
Community Social Responsibility 1st Prize

2023 BIG SEE PRODUCT DESIGN AWARD
Sense Collection / Flux

2023 IF DESIGN AWARD
Sense Collection / Flux

2023 RED DOT DESIGN AWARDS (BEST OF THE BEST)
Sense Collection / Flux

2023 ALTIN CEKUL INTERNATIONAL BUILDING CATALOG AWARDS
Zero Burn

2022 ARCHITIZER A+ PRODUCT AWARDS
Sparkle Collection / Bowl & Ripple Lighting
Sense Collection / Vertigo

2022 EUROPEAN PRODUCT DESIGN AWARD
Sense Collection / Vertigo

2022 IF DESIGN AWARD
Sense Collection / Vertigo

2022 ALTIN CEKUL INTERNATIONAL BUILDING CATALOG AWARDS
Reborn Collection

2021 EUROPEAN PRODUCT DESIGN AWARD
Sparkle Collection / Bowl & Ripple Lighting

2021 DESIGN TURKEY
Sense Collection / Vertigo
Sparkle Collection / Bowl & Ripple Lighting

2021 ARCHITIZER A+ PRODUCT AWARDS FINALIST
Make-Up Collection / Make-Up Divider

2017 RAF AWARD
Decosound Collection / Rhino Triangle
Sense Collection / Diagon









EVENTS

FAIR & EXHIBITIONS

2023 WORKSPACE AMSTERDAM
RAI, AMSTERDAM, The Netherlands

2023 ARCH FOR M.E.
İzmir, TURKEY

2023 INDEX DUBAI
Dubai, UNITED ARAB EMIRATES

2023 CLERKENWELL
London, ENGLAND

2023 ORGATEC
Tokyo Big Sight, JAPAN

2022 ORGATEC
Cologne, GERMANY

2022 DAC SPACE
Istanbul, TURKEY

2022 MATERIAL DISTRICT
Utrecht, THE NETHERLANDS

2021 MIMARSIV SELECTION
Istanbul, TURKEY

2019 MIMARSIV SELECTION
Istanbul, TURKEY

2019 NEOCON
Chicago, Illinois, USA

2018 ORGATEC
Cologne, GERMANY



2023 AMSTERDAM WORKSPACE



2023 ARCH FOR M.E.



2023 INDEX DUBAI



2023 CLERKENWELL



2023 ORGATEC TOKYO



2022 ORGATEC COLOGNE



2022 DAC SPACE



2022 MATERIAL DISTRICT



2019 NEOCON

We participate in international events and competitions. We come together with university students and talk about both the material and the acoustic comfort. We take part in B2B events and give group invitations at our headquarters. We rely on designer collaborations and meet new designers.



2018 ORGATEC

FELTOUCH

DecoSound

Premium acoustic Solutions for your interiors!

DecoSound Panel Collection provides decorative premium acoustic solutions up to A class high acoustic performance for your interior spaces with unique 3D designed 8 models, many dimension alternatives and colour options.

Products are lightweight, semi-rigid, pin-receptive acoustic panels which are easy to assemble with smart installation options. The velour vertiface finish produces a highend luxury look and feel. Using the smart installation options, you can easily alternate colour combinations or change the design periodically.



Batura



Frequency



Octopus



Rhino Square



Rhino Triangle



Manta



Spider Web



Parallels

BATURA

Wall Panel Ceiling Panel

Dimensions





DS100
W: 500 mm
L: 500 mm
D: 60 mm



DS110
W: 600 mm
L: 600 mm
D: 72 mm







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	-	1.00	-
α_w	0.70	-	1.00	-
Class	C	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

APPLICATION EXAMPLES





Accor Group



FREQUENCY



Wall Panel

Ceiling Panel

Dimensions





DS200
W: 500 mm
L: 500 mm
D: 60 mm



DS210
W: 600 mm
L: 600 mm
D: 72 mm



APPLICATION EXAMPLES







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	-	0.90	-
α_w	0.75	-	0.95	-
Class	C	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Dr. Max



OCTOPUS



Wall Panel

Ceiling Panel

Dimensions





DS 300
W: 500 mm
L: 500 mm
D: 60 mm



DS 310
W: 600 mm
L: 600 mm
D: 72 mm

APPLICATION EXAMPLES







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	-	-	-
α_w	0.75	-	-	-
Class	C	-	-	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.







Nokia

RHINO SQUARE

Wall Panel

Ceiling Panel

Dimensions





DS400
W: 500 mm
L: 500 mm
D: 85 mm



DS410
W: 600 mm
L: 600 mm
D: 85 mm

APPLICATION EXAMPLES







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	-	0.90	-
α_w	0.85	-	0.90	-
Class	B	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





Tekfen





Alev Primary School

RHINO TRIANGLE

RAF 2017 ÖDÜLÜ AWARD

Wall Panel Ceiling Panel

Dimensions





DS510
W: 400 mm
L: 400 mm
D: 50 mm



DS500
W: 600 mm
L: 600 mm
D: 80 mm



DS520
W: 800 mm
L: 800 mm
D: 110 mm

APPLICATION EXAMPLES







Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





EnerjiSA



MANTA



Wall Panel

Ceiling Panel

Dimensions





DS600
W: 500 mm
L: 500 mm
D: 60 mm



APPLICATION EXAMPLES







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.70	-	0.80	-
α_w	0.65	-	0.85	-
Class	C	-	B	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Alev Primary School



SPIDER WEB



Wall Panel

Ceiling Panel

Dimensions





DS700
W: 500mm
L: 500mm
D: 60mm
E: 250mm



DS710
W: 760mm
L: 760mm
D: 60mm
E: 380mm

APPLICATION EXAMPLES







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	-	0.80	-	1.00
α_w	-	0.75	-	0.95
Class	-	C	-	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.







EnerjiSA

PARALLELS

Wall Panel Ceiling Panel

Dimensions





DS800
W: 200mm
L: 400mm
D: 40mm



DS810
W: 400mm
L: 800mm
D: 60mm

APPLICATION EXAMPLES







	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	-	-	-
α_w	0.70	-	-	-
Class	C	-	-	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





Mauser



Solutions-ist

FELTOUCH

Reborn

Melika OZER designed a wall and ceiling panel collection called Reborn for Feltouch. The Reborn collection includes Inception, Reflection and Metamorphosis 3 products. The designs of the Reborn collection provide a dynamic effect in the interiors where they are located, while providing a functional effect that can eliminate the eco problems that may occur in the interiors.

altın çekül uluslararası yapı kataloğu ödülleri



Designed by **Melika ÖZER**



Reflection



Metamorphosis



Inception

REFLECTION





Dimensions





RB100
W: 300mm
L: 1200mm
D: 80mm



APPLICATION EXAMPLES









	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	0.80	1.00	1.00
α_w	0.65	0.75	0.95	0.95
Class	C	C	A	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





METAMORPHOSIS



Wall Panel Ceiling Panel



Dimensions





RB200
W: 300mm
L: 1200mm
D: 80mm



APPLICATION EXAMPLES









	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	-	0.80	-	0.90
α_w	-	0.75	-	0.95
Class	-	C	-	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





INCEPTION





Dimensions





RB300
W: 300mm
L: 1200mm
D: 80mm



APPLICATION EXAMPLES









	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	0.80	1.00	1.00
α_w	0.65	0.65	0.95	1.00
Class	C	C	A	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





FELTOUCH

FlatLine

Modular acoustic solutions for your interior projects!

FlatLine Acoustic Panel Collection is an ideal solution for commercial and public spaces with its alternative dimension options. The Collection promotes personalized and acoustically balanced workspaces without interruption to a collaborative environment. Products can be adjusted and moved to suit the dynamic requirement of a fast-paced modern office.

This collection offers acoustic panels, ceiling baffles, table dividers, and alternative customizable acoustical solutions.



Waffle



Honeycomb



Plain



Cracker



Cracker Edged



Cracker Cloud



Cracker Cloud ighting



Honeycomb Cloud

WAFFLE

Wall Panel Ceiling Panel

Dimensions



Vertical

FL220
W: 1200mm
L: 1800mm
D: 30mm



Horizontal

FL210
W: 1200mm
L: 1800mm
D: 30mm



Horizontal

FL200
W: 600mm
L: 1800mm
D: 30mm

Akıllı montaj sistemi ile mıknatıs veya cırtlı montaj alternatifleri sunar. Diğer montaj şekli ise endüstriyel yapıştırıcılar ile mümkündür.
Smart installation with magnets or velcro. Alternative installation can be available with adhesive.



	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.55	-	0.95	-
α_w	0.45	-	0.95	-
Class	D	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





Call Center, Uğur Şeker Mimarlık



Call Center, Uğur Şeker Mimarlık

HONEYCOMB



Wall Panel | Ceiling Panel | Ceiling

Dimensions



FL500
W: 600mm
L: 1200mm
D: 30mm



Cloud

FL510
W: 600mm
L: 1200mm
H: 30mm

Akıllı montaj sistemi ile mıknatıs veya cırtlı montaj alternatifleri sunar. Diğer montaj şekli ise askı tavan sistemi ile mümkündür.
Smart installation with magnets or velcro. Alternative installation can be available with suspended ceiling system.

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Honeycomb Wall





Honeycomb Cloud

PLAIN

Wall Panel Ceiling Panel

Dimensions



FL600
W: 500mm
L: 500mm
D: 30mm

FL610
W: 500mm
L: 500mm
D: 40mm

FL620
W: 600mm
L: 600mm
D: 30mm

FL630
W: 600mm
L: 600mm
D: 40mm

Smart installation with magnets or velcro.



	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.55	-	-	-
α_w	0.35	-	-	-
Class	D	-	-	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





Transperfect



Transperfect

CRACKER

Wall Panel Ceiling Panel

Dimensions



FL410
W: 800mm
L: 2400mm
D: 50mm

FL400
W: 800mm
L: 1200mm
D: 50mm

Akıllı montaj sistemi ile mıknatıs veya cırtlı montaj alternatifleri sunar.
Diğer montaj şekli ise endüstriyel yapıştırıcılar ile mümkündür.

Smart installation with magnets or velcro.
Alternative installation can be available with adhesive.



	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	-	0.60	-	1.00
α_w	-	0.40	-	1.00
Class	-	D	-	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





Just Work



Just Work



Just Work

CRACKER EDGE



Dimensions



FL430
W: 800mm
L: 1200mm
D: 70mm



FL420
W: 800mm
L: 800mm
D: 70mm

Akıllı montaj sistemi ile mıknatıs veya cırtlı montaj alternatifleri sunar.
Diğer montaj şekli ise endüstriyel yapıştırıcılar ile mümkündür.

Smart installation with magnets or velcro.
Alternative installation can be available with adhesive.



	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.70	0.80	0.90	1.00
α_w	0.55	0.65	0.90	1.00
Class	D	C	A	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





CRACKER CLOUD - LIGHTING

Ceiling Lighting

Dimensions



Cloud

FL440
W: 800 mm
L: 1200mm
H: 65mm

Cloud

FL450
W: 800mm
L: 2400mm
H: 65mm

Lighting

FL460
W: 800mm
L: 1200mm
H: 65mm

Lighting

FL470
W: 800mm
L: 2400mm
H: 65mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





FELTOUCH

Sense

Sense Collection approaches PET felt design in a whole new perspective. The distinguished design has been implemented by Feltouch felt which was developed to meet environmental norms in line with interior building standards. Sense Collection presents the largest panels created by using pressed PET felt technology Visual varieties and individually customizable arrangements of acoustic panel series create stunning vertical and horizontal optical patterns. Designs adaptable panel surfaces enable extensive creative freedom to differentiate and cover many surfaces from ceilings to walls and corners through its unique 3D patterns, mono, and corner forms. The acoustical space separation of Diagon enhances many varieties of living areas through interior spaces to many architecturally variable solutions by the 3-dimensional concave and convex surface design. Unique rotational system design allows extensive creative freedom to separate, isolate or expose spaces whenever needed.

Architizer A+AWARDS WINNER 2022

DESIGN AWARD 2022

EUROPEAN PRODUCT DESIGN AWARD

DESIGN TÜRKİYE 2021 Good Design Award

DESIGN AWARD 2023

reddot winner 2023
best of the best



Designed by **Yiğit ÖZER**



Diagon



Parallax



Vertigo



Vertigo Trapeze



Vertigo Mono



Vertigo Cloud



Vertigo Cloud Lighting

DIAGON

Furniture

Dimensions

Diagon Double



Diagon 4 | Double Base
SS414D



Diagon 5 | Double Base
SS415D



Diagon 6 | Double Base
SS416D



Diagon 7 | Double Base
SS417D

Diagon Triple



Diagon 6 | Triple Base 1
SS416T



Diagon 6 | Triple Base 2
SS426T



Diagon 7 | Triple Base 1
SS417T



Diagon 7 | Triple Base 2
SS427T



Diagon 8 | Triple Base 1
SS418T



Diagon 8 | Triple Base 2
SS428T



Diagon 9 | Triple Base 1
SS419T



Diagon 9 | Triple Base 2
SS429T



Diagon 9 | Triple Base 3
SS439T



Diagon 10 | Triple Base 1
SS4110T



Diagon 10 | Triple Base 2
SS4210T



Diagon 11 | Triple Base
SS4111T

Diagon Quatro



Diagon 8 | Quatro Base
SS418Q



Diagon 9 | Quatro Base 1
SS419Q



Diagon 9 | Quatro Base 2
SS429Q



Diagon 10 | Quatro Base 1
SS4110Q



Diagon 10 | Quatro Base 2
SS4210Q



Diagon 11 | Quatro Base
SS4111Q



Diagon 12 | Quatro Base 1
SS4112Q



Diagon 12 | Quatro Base 2
SS4212Q



Diagon 12 | Quatro Base 3
SS4312Q



Diagon 13 | Quatro Base 1
SS4113Q



Diagon 13 | Quatro Base 2
SS4213Q



Diagon 14 | Quatro Base
SS4114Q

	Standart
NRC	0.81
α_w	0.85
Class	B

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





Alev Primary School





PARALLAX

Wall Panel Ceiling Panel

Dimensions



Form

SS100
W: 1200mm
L: 1200mm
D: 70mm



Mono

SS110
W: 1200mm
L: 1200mm
D: 70mm



Corner In

SS120
W: 220mm
L: 1200mm
D: 220mm



	Parallax Form				Parallax Mono			
	Standart		Product + Feltfill		Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin	Natural	Mandarin	Natural	Mandarin
NRC	0.80	-	1.00	-	0.80	-	1.00	-
α_w	0.65	-	1.00	-	0.60	-	0.95	-
Class	C	-	A	-	C	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.







Tekfen

VERTIGO

Wall Panel Ceiling Panel

DESIGN AWARD 2022

2022 TOP DESIGN EUROPEAN PRODUCT DESIGN AWARD

DESIGN TÜRKIYE 2021 Good Design Award

Architizer A+AWARDS WINNER 2022

Dimensions



Form

SS200
W: 1200mm
L: 2400mm
D: 70mm



Mono

SS210
W: 1200mm
L: 2400mm
D: 70mm



Corner In

SS230
W: 210mm
L: 2400mm
D: 210mm



Mono 60

SS255
W: 600mm
L: 600mm
D: 60mm

Mono 120

SS256
W: 600mm
L: 1200mm
D: 60mm



	Vertigo Form				Vertigo Mono			
	Standart		Product + Feltfill		Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin	Natural	Mandarin	Natural	Mandarin
NRC	0.60	-	1.00	-	0.60	-	1.00	-
α_w	0.35	-	0.95	-	0.45	-	0.95	-
Class	D	-	A	-	D	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





VERTIGO TRAPEZE



Wall Panel Ceiling Panel

DESIGN AWARD 2022

2022 TOP DESIGN EUROPEAN PRODUCT DESIGN AWARD

DESIGN TÜRKİYE 2021 Good Design Award

Architizer A+AWARDS WINNER 2022

Dimensions



Trapeze 120
SS240
W: 1200mm
L: 1200mm
D: 30mm



Trapeze 240
SS220
W: 1200mm
L: 2400mm
D: 30mm



	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	-	0.45	-	0.90
α_w	-	0.30	-	0.95
Class	-	D	-	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Colins



Colins

VERTIGO CLOUD & LIGHTING

Ceiling

Lighting

Dimensions



Cloud

SS260
W: 1200mm
L: 1200mm
H: 30mm

Cloud

SS270
W: 1200mm
L: 2400mm
H: 30mm



Lighting

SS281
W: 1200mm
L: 1200mm
H: 30mm



Lighting

SS291
W: 1200mm
L: 2400mm
H: 30mm



Lighting

SS280
W: 1200mm
L: 1200mm
H: 30mm



Lighting

SS290
W: 1200mm
L: 2400mm
H: 30mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





FLUX WALL & CEILING PANEL

Wall Panel Ceiling Panel

reddot winner 2023
best of the best

DESIGN AWARD 2023

BIG SEE Product Design Award 2023 Winner

Dimensions



100

P100
SS510M
SS510V
W: 100mm
L: 1500mm
D: 50mm

P100
SS515M
SS515V
W: 100mm
L: 3000mm
D: 50mm



200

P200
SS520M
SS520V
W: 200mm
L: 1500mm
D: 50mm

P200
SS525M
SS525V
W: 200mm
L: 3000mm
D: 50mm



300

P300
SS530M
SS530V
W: 300mm
L: 1500mm
D: 50mm

P300
SS535M
SS535V
W: 300mm
L: 3000mm
D: 50mm



300

L
SS500M
SS500V
W: 300mm
L: 1500mm
D: 150mm

L
SS501M
SS501V
W: 300mm
L: 3000mm
D: 150mm



300

W1
SS550M
SS550V
W: 300mm
L: 1500mm
D: 150mm



300

W2
SS551M
SS551V
W: 300mm
L: 1500mm
D: 150mm



300

S1
SS540M
SS540V
W: 300mm
L: 1500mm
D: 150mm



300

S2
SS541M
SS541V
W: 300mm
L: 1500mm
D: 150mm



300

F1
SS560M
SS560V
W: 300mm
L: 1500mm
D: 150mm



300

F2
SS570M
SS570V
W: 300mm
L: 1500mm
D: 150mm

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





FLUX CEILING SYSTEM PANEL

Ceiling

reddot winner 2023
best of the best

DESIGN AWARD 2023

BIG SEE Product Design Award 2023 Winner

Dimensions



P100
SS510
W: 100mm
L: 1500mm
H: 50mm

P100
SS515
W: 100mm
L: 3000mm
H: 50mm



P200
SS520
W: 200mm
L: 1500mm
H: 50mm

P200
SS525
W: 200mm
L: 3000mm
H: 50mm



P300
SS530
W: 300mm
L: 1500mm
H: 50mm

P300
SS535
W: 300mm
L: 3000mm
H: 50mm



L
SS500
W: 300mm
L: 1500mm
H: 150mm

L
SS501
W: 300mm
L: 3000mm
H: 150mm



W1
SS550
W: 300mm
L: 1500mm
H: 150mm



W2
SS551
W: 300mm
L: 1500mm
H: 150mm



S1
SS540
W: 300mm
L: 1500mm
H: 150mm



S2
SS541
W: 300mm
L: 1500mm
H: 150mm



F1
SS560
W: 300mm
L: 1500mm
H: 150mm



F2
SS570
W: 300mm
L: 1500mm
H: 150mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

Plativity

Meet acoustic solutions that stimulate your imagination!

Plativity Collection offers various products that encourage individual creativity. The creativity idea, which is the starting point of the plativity design, provides a wide range of products that you can choose from our pre-designed templates or by creating new designs of your own.

The Collection offers customizable acoustic solutions from surface cladding, hanging space dividers, ceiling systems to hanging clouds.



Cloud



Mesh



Flat Cloud



Flat Cloud Lighting



Plate



V-Plate



Let’s Play Lighting

MESH

Hanging Customizable

Dimensions

Hanging



Skew
MSH200H W: 800mm H: 2400mm
MSH205H W: 1200mm H: 2400mm



Forest
MSH210H W: 800mm H: 2400mm
MSH215H W: 1200mm H: 2400mm



Squares
MSH220H W: 800mm H: 2400mm
MSH225H W: 1200mm H: 2400mm



Circles
MSH210H W: 800mm H: 2400mm
MSH215H W: 1200mm H: 2400mm



Plus
MSH240H W: 800mm H: 2400mm
MSH245H W: 1200mm H: 2400mm



Rain
MSH250H W: 800mm H: 2400mm
MSH255H W: 1200mm H: 2400mm



Line
MSH260H W: 800mm H: 2400mm
MSH265H W: 1200mm H: 2400mm



Matrix
MSH270H W: 800mm H: 2400mm
MSH275H W: 1200mm H: 2400mm



Matrix Plus
MSH280H W: 800mm H: 2400
MSH285H W: 1200mm H: 2400mm



Sun
MSH290H W: 1200mm H: 2400mm



African
MSH295H W: 800mm H: 2400mm
MSH296H W: 1200mm H: 2400mm



Botanic
MSH211H W: 800mm H: 2400mm
MSH212H W: 1200mm H: 2400mm

Tracking



Skew
MSH200T W: 800mm H: 2400mm
MSH205T W: 1200mm H: 2400mm



Forest
MSH210T W: 800mm H: 2400mm
MSH215T W: 2400mm H: 1200mm



Squares
MSH220T W: 800mm H: 2400mm
MSH225T W: 1200mm H: 2400mm



Circles
MSH210T W: 800mm H: 2400mm
MSH215T W: 1200mm H: 2400mm



Plus
MSH240T W: 800mm H: 2400mm
MSH245T W: 1200mm H: 2400mm



Rain
MSH250T W: 800mm H: 2400mm
MSH255T W: 2400mm H: 1200mm



Line
MSH260T W: 800mm H: 2400mm
MSH265T W: 1200mm L: 2400mm



Matrix
MSH270T W: 800mm H: 2400mm
MSH275T W: 1200mm H: 2400mm



Matrix Plus
MSH 280T W: 800mm H: 2400mm
MSH285T W: 1200mm H: 2400mm



Sun
MSH290T W: 1200mm H: 2400mm



African
MSH295T W: 800mm H: 2400mm
MSH296T W: 1200mm H: 2400mm



Botanic
MSH211T W: 800mm H: 2400mm
MSH212T W: 1200mm H: 2400mm

Hanging System



Sliding System





Mesh sliding system can be added side by side in desired number of times.



	Standart	30mm GAP	50mm GAP	100mm GAP
NRC	0.23	0.40	0.46	0.53
α_w	0.20	0.25	0.35	0.45
Class	E	E	D	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Mesh Skew



Mesh Sun



Mesh Botanic



Mesh Botanic



Mesh Matrix



Mesh Line



Mesh Plus



Mesh Forest


Mesh African


Mesh Circle


Mesh Square


Mesh Rain

CLOUD



Ceiling

Dimensions



Ellipse

CLD410
W: 1200mm
L: 1200mm
H: 245mm

CLD411
W: 1800mm
L: 1800mm
H: 260mm



Magnum

CLD450
W: 1200mm
L: 1200mm
H: 240mm

CLD451
W: 1800mm
L: 1800mm
H: 330mm



Pebble

CLD420
W: 1020mm
L: 1325mm
H: 350mm



Astro

CLD440
W: 1200mm
L: 2400mm
H: 240mm

CLD441
W: 900mm
L: 1800mm
H: 180mm



Rectangle

CLD430
W: 1200mm
L: 2400mm
H: 120mm



Rectangle L

CLD431R
W: 1200mm
L: 2400mm
H: 240mm



Square

CLD461R
W: 1200mm
L: 1200mm
H: 120mm

CLD460R
W: 1800mm
L: 1800mm
H: 175mm



Frequency

CLD480
W: 1200mm
L: 1200mm
H: 300mm



Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.2
500	1.2
1000	2.4
2000	3.2
4000	4,9
Sabines (m^2)	2.38

Average 250 - 4000 Hz

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.







JUSTWork

FLAT CLOUD



Ceiling

Dimensions



CLD390
Ø: 400 mm



CLD391
Ø: 600 mm



CLD392
Ø: 800 mm



CLD393
Ø: 1200 mm



CLD350R
W: 900mm
L: 1400mm



CLD360R
W: 1200mm
L: 1200mm



CLD380R
W: 1400mm
L: 1800mm



CLD370R
W: 1200mm
L: 2400mm



CLD330R
W: 700mm
L: 900mm



CLD310R
W: 600mm
L: 1200mm



CLD340R
W: 700mm
L: 1800mm



CLD320R
W: 600mm
L: 2400mm



CLD372R
W: 700mm
L: 1500mm



CLD373R
W: 700mm
L: 3000mm



CLD374R
W: 1400mm
L: 3000mm



	Canopy		Canopy +Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.80	0.80	1.00	1.00
α_w	0.75	0.75	1.00	1.00
Class	C	C	A	A

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Workinton



EnerjiSA

FLAT CLOUD LIGHTING

Lighting

Dimensions



CLD391L
Ø: 600 mm



CLD392L
Ø: 800 mm



CLD393L
Ø: 1200 mm



CLD330L
W: 700mm
L: 900mm



CLD310L
W: 600mm
L: 1200mm



CLD340L
W: 700mm
L: 1800mm



CLD320L
W: 600mm
L: 2400mm



CLD350L
W: 900mm
L: 1400mm



CLD360L
W: 1200mm
L: 1200mm



CLD380L
W: 1800mm
L: 1400mm



CLD370L
W: 1200mm
L: 2400mm



CLD381L
W: 1400mm
L: 1800mm



CLD371L
W: 1200mm
L: 2400mm



CLD372L
W: 700mm
L: 1500mm



CLD373L
W: 700mm
L: 3000mm



CLD374L
W: 1400mm
L: 3000mm



Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	2.0
500	3.1
1000	3.6
2000	5.1
4000	6.3
Sabines (m^2)	4.02

Average 250 - 4000 Hz

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Sofra

LET'S PLAY LIGHTING

Lighting

Dimensions



Square Wall Lamp

LP100	LP110	LP120	LP130
W: 700mm	W: 900mm	W: 1200mm	W: 1400mm
L: 700mm	L: 900mm	L: 1200mm	L: 1400mm
D: 80mm	D: 80mm	D: 80mm	D: 80mm



Triangle Wall Lamp

LP200	LP210	LP220	LP230
W: 700mm	W: 900mm	W: 1200mm	W: 1400mm
L: 700mm	L: 900mm	L: 1200mm	L: 1400mm
D: 80mm	D: 80mm	D: 80mm	D: 80mm



Circular Wall Lamp

LP300	LP310	LP320	LP330
Ø: 700mm	Ø: 900mm	Ø: 1200mm	Ø: 1400mm
H: 80mm	H: 80mm	H: 80mm	H: 80mm



Square Wall Lamp

LP105	LP115	LP125	LP135
W: 700mm	W: 900mm	W: 1200mm	W: 1400mm
L: 700mm	L: 900mm	L: 1200mm	L: 1400mm
D: 80mm	D: 80mm	D: 80mm	D: 80mm



Triangle Wall Lamp

LP205	LP215	LP225	LP235
W: 700mm	W: 900mm	W: 1200mm	W: 1400mm
L: 700mm	L: 900mm	L: 1200mm	L: 1400mm
D: 80mm	D: 80mm	D: 80mm	D: 80mm



Circular Wall Lamp

LP305	LP315	LP325	LP335
Ø: 700mm	Ø: 900mm	Ø: 1200mm	Ø: 1400mm
H: 80mm	H: 80mm	H: 80mm	H: 80mm

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



PLATE

Cladding

Customizable

Dimensions



13PT1106 / 14PT1106S
W: 1400mm
L: 1800mm
Thickness: 6mm

23PT1112S / 25PT1112S
W: 1400mm
L: 1800mm
Thickness: 12mm



13PT1006 / 14PT1006S
W: 1200mm
L: 2400mm
Thickness: 6mm

23PT1012S / 25PT1012S
W: 1200mm
L: 2400mm
Thickness: 12mm



13PT1806 / 14PT1806S
W: 1400mm
L: 3000mm
Thickness: 6mm

23PT1812S / 25PT1812S
W: 1400mm
L: 3000mm
Thickness: 6mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Accor Group



Accor Group



Korn Fery

V-PLATE

Cladding

Customizable

Dimensions



13VP1106 / 14VP1106S
W: 1400mm
L: 1800mm
Thickness: 6mm

23VP1112S / 25VP1112S
W: 1400mm
L: 1800mm
Thickness: 12mm



13VP1006 / 14VP1006S
W: 1200mm
L: 2400mm
Thickness: 6mm

23VP1012S / 25PT1012S
W: 1200mm
L: 2400mm
Thickness: 12mm



13VP1806 / 14PT1806S
W: 1400mm
L: 3000mm
Thickness: 6mm

23VP1812S / 25VP1812S
W: 1400mm
L: 3000mm
Thickness: 12mm





	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



JUSTWork



JUSTWork



Hanspaces

FELTOUCH

Tiles



Triangles



Eq Triangles



Squares



Rectangles



Circles



Pebble



Rombus



Hexagons



Geo



Grill



Greek



SQ



Grid



Fishbone



Chevrone



Line



ZigZag



Brick



Stripe

TRIANGLES - EQ TRIANGLES

Cladding

Customizable

Dimensions



Triangles 40

TLS600	TLS601
W: 400mm	W: 400mm
L: 400mm	L: 400mm
Thickness: 6mm	Thickness: 12mm



Triangles 60

TLS602	TLS603
W: 600mm	W: 600mm
L: 600mm	L: 600mm
Thickness: 6mm	Thickness: 12mm



Triangles 120

TLS604	TLS605
W: 1200mm	W: 1200mm
L: 1200mm	L: 1200mm
Thickness: 6mm	Thickness: 12mm



Eq Triangles 40

TLS654	TLS655
W: 400mm	W: 400mm
L: 400mm	L: 400mm
Thickness: 6mm	Thickness: 12mm



Eq Triangles 60

TLS656	TLS657
W: 600mm	W: 600mm
L: 600mm	L: 600mm
Thickness: 6mm	Thickness: 12mm



Eq Triangles 80

TLS658	TLS659
W: 800mm	W: 800mm
L: 800mm	L: 800mm
Thickness: 6mm	Thickness: 12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Eq Triangles

SQUARES - RECTANGLES

Cladding

Customizable

Dimensions



Squares 40

TLS610
W: 400mm
L: 400mm
Thickness: 6mm

TLS611
W: 400mm
L: 400mm
Thickness: 12mm



Squares 60

TLS612
W: 600mm
L: 600mm
Thickness: 6mm

TLS613
W: 600mm
L: 600mm
Thickness: 12mm



Squares 120

TLS614
W: 1200mm
L: 1200mm
Thickness: 6mm

TLS615
W: 1200mm
L: 1200mm
Thickness: 12mm



Rectangles

TLS620
W: 200mm
L: 400mm
Thickness: 6mm

TLS621
W: 200mm
L: 400mm
Thickness: 12mm



Rectangles

TLS622
W: 300mm
L: 600mm
Thickness: 6mm

TLS623
W: 300mm
L: 600mm
Thickness: 12mm



Rectangles

TLS624
W: 400mm
L: 800mm
Thickness: 6mm

TLS625
W: 400mm
L: 800mm
Thickness: 12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Rectangles

HEXAGONS - CIRCLES - SEMI CIRCLES

Cladding

Customizable

Dimensions



Hexagons 15

TLS634
W: 300mm
L: 300mm
Thickness: 6mm

TLS635
W: 300mm
L: 300mm
Thickness: 12mm



Hexagons 25

TLS630
W: 500mm
L: 500mm
Thickness: 6mm

TLS631
W: 500mm
L: 500mm
Thickness: 12mm



Hexagons 50

TLS632
W: 760mm
L: 760mm
Thickness: 6mm

TLS633
W: 760mm
L: 760mm
Thickness: 12mm



Circles 40

TLS644
R: 200mm
Ø: 400mm
Thickness: 6mm

TLS645
R: 200mm
Ø: 400mm
Thickness: 12mm



Circles 60

TLS646
R: 300mm
Ø: 600mm
Thickness: 6mm

TLS647
R: 300mm
Ø: 600mm
Thickness: 12mm



Circles 120

TLS648
R: 600mm
Ø: 1200mm
Thickness: 6mm

TLS649
R: 600mm
Ø: 1200mm
Thickness: 12mm



Semi - Circles 60

TLS640
R: 300mm
Ø: 600mm
Thickness: 6mm

TLS641
R: 300mm
Ø: 600mm
Thickness: 12mm



Semi - Circles 120

TLS642
R: 600mm
Ø: 1200mm
Thickness: 6mm

TLS643
R: 600mm
Ø: 1200mm
Thickness: 12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Hexagons



Circles

PEBBLE

Cladding

Customizable

Dimensions

Pebble XL

TLS668
R: 550mm
Ø: 1100mm
Thickness: 6mm

TLS669
R: 550mm
Ø: 1100mm
Thickness: 12mm



Pebble L

TLS666
R: 390mm
Ø: 780mm
Thickness: 6mm

TLS667
R: 390mm
Ø: 780mm
Thickness: 12mm



Pebble M

TLS664
R: 290mm
Ø: 580mm
Thickness: 6mm

TLS665
R: 290mm
Ø: 580 m
Thickness: 12mm



Pebble S

TLS662
R: 300mm
Ø: 600mm
Thickness: 6mm

TLS663
R: 300mm
Ø: 600mm
Thickness: 12mm



Pebble XS

TLS660
R: 250mm
Ø: 500mm
Thickness: 6mm

TLS661
R: 250mm
Ø: 500mm
Thickness: 12mm



Pebble Set

TLS670
R: 550 mm
Ø: 1100 mm
Thickness: 6mm

TLS671
R: 550mm
Ø: 1100 mm
Thickness: 12mm



R: 390 mm
Ø: 780 mm



R: 290 mm
Ø: 580 mm



R: 300 mm
Ø: 600 mm



R: 250 mm
Ø: 500 mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



STRIPE

Cladding

Customizable

Dimensions



Stripe 20x180

TLS710
W: 200mm
L: 1800mm
Thickness: 6mm

TLS711
W: 200mm
L: 1800mm
Thickness: 12mm



Stripe 28x180

TLS712
W: 280mm
L: 1800mm
Thickness: 6mm

TLS713
W: 280mm
L: 1800mm
Thickness: 12mm



Stripe 35x180

TLS714
W: 350mm
L: 1800mm
Thickness: 6mm

TLS715
W: 350mm
L: 1800mm
Thickness: 12mm



Stripe 70x180

TLS716
W: 700mm
L: 1800mm
Thickness: 6mm

TLS717
W: 700mm
L: 1800mm
Thickness: 12mm



Stripe 20x240

TLS720
W: 200mm
L: 2400mm
Thickness: 6mm

TLS721
W: 200mm
L: 2400mm
Thickness: 12mm



Stripe 30x240

TLS722
W: 300mm
L: 2400mm
Thickness: 6mm

TLS723
W: 300mm
L: 2400mm
Thickness: 12mm



Stripe 40x240

TLS724
W: 400mm
L: 2400mm
Thickness: 6mm

TLS725
W: 400mm
L: 2400mm
Thickness: 12mm



Stripe 60x240

TLS726
W: 600mm
L: 2400mm
Thickness: 6mm

TLS727
W: 600mm
L: 2400mm
Thickness: 12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



LINE

Cladding

Customizable

Dimensions



Line 30_10cm gap

TLS750
W: 300mm
L: 2400mm
Thickness:
6mm

TLS751
W: 300mm
L: 2400mm
Thickness:
6mm



Line 60_10cm gap

TLS752
W: 600mm
L: 2400mm
Thickness:
6mm

TLS753
W: 600mm
L: 2400mm
Thickness:
6mm



Line 120_10cm gap

TLS754
W: 1200 mm
L: 2400 mm
Thickness:
6mm

TLS755
W: 1200mm
L: 2400mm
Thickness:
6mm



Line 30_5cm gap

TLS760
W: 300mm
L: 2400mm
Thickness:
6mm

TLS761
W: 300mm
L: 2400mm
Thickness:
12mm



Line 60_5cm gap

TLS762
W: 600mm
L: 2400mm
Thickness:
6mm

TLS763
W: 600mm
L: 2400mm
Thickness:
12mm



Line 120_5cm gap

TLS764
W: 1200mm
L: 2400mm
Thickness:
6mm

TLS765
W: 1200mm
L: 2400mm
Thickness:
12mm



Line 30_3cm gap

TLS770
W: 300mm
L: 2400mm
Thickness:
6mm

TLS771
W: 300mm
L: 2400mm
Thickness:
12mm



Line 60_3cm gap

TLS772
W: 600mm
L: 2400 mm
Thickness:
6mm

TLS773
W: 600mm
L: 2400mm
Thickness:
12mm



Line 120_3cm gap

TLS774
W: 1200mm
L: 2400mm
Thickness:
6mm

TLS775
W: 1200mm
L: 2400mm
Thickness:
12mm



Line 2

TLS776
W: 600mm
L: 2400mm
Thickness:
6mm

TLS777
W: 600mm
L: 2400mm
Thickness:
12mm





	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

GRID - ROMBUS

Cladding

Customizable

Dimensions



Grid Vertical

TLS786
W: 1200mm
L: 2400mm
Thickness: 6mm

TLS787
W: 1200mm
L: 2400mm
Thickness: 12mm



Grid Horizontal

TLS788
W: 1200mm
L: 2400mm
Thickness: 6mm

TLS789
W: 1200mm
L: 2400mm
Thickness: 12mm



Grid 240

TLS618
W: 600mm
L: 2400mm
Thickness: 6mm

TLS 619
W: 600mm
L: 2400mm
Thickness: 12mm



Grid 60

TLS 616
W: 600mm
L: 600mm
Thickness: 6mm

TLS 617
W: 600mm
L: 600mm
Thickness: 12mm



Rombus

TLS 652
W: 600mm
L: 695mm
Thickness: 6mm

TLS 653
W: 600mm
L: 695mm
Thickness: 12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.


Grid


Rombus

GRILL

Cladding Customizable

Dimensions



Grill 1 - 240

TLS618
W: 600mm
L: 2400mm
Thickness:
6mm

TLS619
W: 600mm
L: 2400mm
Thickness:
12mm

Grill 1 - 60

TLS 616
W: 600 mm
L: 600 mm
Thickness:
6mm

TLS 617
W: 600mm
L: 600mm
Thickness:
12mm



Gril 2 - 240

TLS572
W: 600mm
L: 2400mm
Thickness:
6mm

TLS573
W: 600mm
L: 2400mm
Thickness:
12mm



Grill 2 - 60

TLS570
W: 600mm
L: 600mm
Thickness:
6mm

TLS571
W: 600mm
L: 600mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

GREEK

Cladding Customizable

Dimensions



Greek 2 - 240

TLS576
W: 600mm
L: 2400mm
Thickness:
6mm

TLS577
W: 600mm
L: 2400mm
Thickness:
12mm

Greek 2 - 60

TLS574
W: 600mm
L: 600mm
Thickness:
6mm

TLS575
W: 600mm
L: 600mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

ZIG ZAG - GEO

Cladding

Customizable

Dimensions



ZigZag 120

TLS798
W: 1200mm
L: 1200mm
Thickness:
6mm

TLS799
W: 1200mm
L: 1200mm
Thickness:
12mm



ZigZag 60

TLS796
W: 600mm
L: 600mm
Thickness:
6mm

TLS797
W: 600mm
L: 600mm
Thickness:
12mm



Geo 1

TLS500
W: 600mm
L: 600mm
Thickness:
6mm

TLS501
W: 600mm
L: 600mm
Thickness:
12mm



Geo 2

TLS504
W: 600mm
L: 600mm
Thickness:
6mm

TLS505
W: 600mm
L: 600mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



BRICK

Cladding

Customizable

Dimensions



Brick

TLS780
W: 750mm
L: 910mm
Thickness: 6mm

TLS781
W: 750mm
L: 910mm
Thickness: 12mm



Brick Left - Right

TLS782
W: 750mm
L: 910mm
Thickness: 6mm

TLS783
W: 750mm
L: 910mm
Thickness: 12mm



Brick 1 - 240

TLS792
W: 600mm
L: 2400mm
Thickness: 6mm

TLS793
W: 600mm
L: 2400mm
Thickness: 12mm



Brick 1 - 60

TLS784
W: 600mm
L: 600mm
Thickness: 6mm

TLS785
W: 600mm
L: 600mm
Thickness: 12mm



Brick 2 - 240

TLS811
W: 600mm
L: 2400mm
Thickness: 6mm

TLS812
W: 600mm
L: 2400mm
Thickness: 12mm



Brick 2 - 60

TLS809
W: 600mm
L: 600mm
Thickness: 6mm

TLS810
W: 600mm
L: 600mm
Thickness: 12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



SQ

Cladding Customizable

Dimensions



SQ 1 - 240

TLS553
W: 600mm
L: 2400mm
Thickness:
6mm

TLS552
W: 600mm
L: 2400mm
Thickness:
12mm

SQ 1 - 60

TLS550
W: 600mm
L: 600mm
Thickness:
6mm

TLS551
W: 600mm
L: 600mm
Thickness:
12mm



SQ 2 - 240

TLS556
W: 600mm
L: 2400mm
Thickness:
6mm

TLS557
W: 600mm
L: 2400mm
Thickness:
12mm



SQ 2 - 60

TLS554
W: 600mm
L: 600mm
Thickness:
6mm

TLS555
W: 600mm
L: 600mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

SQ

Cladding Customizable

Dimensions



SQ 3 - 240

TLS 560
W: 600mm
L: 2400mm
Thickness:
6mm

TLS 561
W: 600mm
L: 2400mm
Thickness:
12mm



SQ 3 - 60

TLS 558
W: 600mm
L: 600mm
Thickness:
6mm

TLS 559
W: 600mm
L: 600mm
Thickness:
12mm



SQ 4 - 240

TLS 564
W: 600mm
L: 2400mm
Thickness:
6mm

TLS 565
W: 600mm
L: 2400mm
Thickness:
12mm



SQ 4 - 60

TLS 562
W: 600mm
L: 600mm
Thickness:
6mm

TLS 563
W: 600mm
L: 600mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

FISHBONE - CHEVRONE

Cladding

Customizable

Dimensions



Fishbone

TLS790
W: 1200mm
L: 2400mm
Thickness:
6mm

TLS791
W: 1200mm
L: 2400mm
Thickness:
12mm

Chevrone Left

TLS794L
W: 600mm
L: 2400 mm
Thickness:
6mm

TLS795L
W: 600mm
L: 2400mm
Thickness:
12mm

Chevrone Right

TLS794R
W: 600mm
L: 2400mm
Thickness:
6mm

TLS795R
W: 600mm
L: 2400mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.


Fishbone


Chevrone

ZEBRA

Cladding

Customizable

Dimensions



Zebra

TLS830
W: 600mm
L: 1200mm
Thickness:
6mm

TLS831
W: 600mm
L: 1200mm
Thickness:
12mm



	Standart			
	Natural		Mandarin	
	6mm	12mm	6mm	12mm
NRC	0.20	0.40	0.25	0.50
α_w	0.15	0.25	0.15	0.30
Class	E	E	E	D

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





FELTOUCH

Feltra

Feltra Collection adds to a decorative space design and balances sound, especially within office spaces. Feltra is one of the best examples of our Fit&Finish concept.

The Collection provides smart solutions for space dividers as free-standing furniture while providing acoustic efficiency at the same time. We are working on the product range.



Recta

RECTA

Furniture

Dimensions



FT100
W: 800mm
H: 1200mm
D: 32mm

Baseplate:
W: 400mm
L: 80mm
H: 8mm



FT110
W: 900mm
H: 1400mm
D: 32mm

Baseplate:
W: 400mm
L: 80mm
H: 8mm



FT120
W: 1200mm
H: 1200mm
D: 32mm

Baseplate:
W: 400mm
L: 80mm
H: 8mm



FT130
W: 1800mm
H: 1400mm
D: 32mm

Baseplate:
W: 400mm
L: 80mm
H: 8mm



Aobj @1000 Hz: 1,7

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Bayer Turkey Headquarter



Bayer Turkey Headquarter

FELTFILL

Customizable

Dimensions



FF1001
W: 600mm
L: 1200mm
D: 40mm







	Standart	30mm GAP
NRC	0,70	0,75
α_w	0,65	0,75
Class	C	C

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

Sparkle

“In a workspace environment, sound and light can be considered as very important catalyzers that can change the way we perceive the surroundings and the way we feel about the atmosphere in the space. The task was to design a luminaire that can respond to two different needs of users in workspaces from both acoustic and lighting perspectives. From a lighting perspective, it would present glare-free dimmable, and controllable artificial lighting which turns on/off by the presence or absence of the user and dim down/up by balancing and adapting to daylight levels without the additional intervention of the user. With separately controllable direct and indirect light distribution, users can choose which type to illuminate their space. Mainly avoiding undesired reflections on reflective screens, separately switchable indirect lighting can be used both for ambient lighting and highlight ceiling surfaces.”

2021 HONORABLE MENTION
EUROPEAN PRODUCT DESIGN AWARD
www.productdesignaward.eu

DESIGN TÜRKİYE
2021
Good Design Award

Architizer
A+AWARDS
WINNER
2022



Designed by **Ali BERKMAN**



Bowl Suspension Rod



Bowl Suspended Wire



Bowl Wall Mounted



Bowl Surface Mounted



Ripple Pendant Lİghting



Ripple Wall Mounted



Ripple Surface Mounted



Line Wall Lamp

BOWL

Lighting

Dimensions





Pendant Lighting - Suspension Rod

SP100 Lighting
Ø: 600 mm **Fixture**
H: 180 mm Ø: 300 mm





Pendant Lighting - Suspended Wire

SP101 Lighting
Ø: 600 mm **Fixture**
H: 180 mm Ø: 300 mm



Surface Mounted

SP110 Lighting
Ø: 600 mm **Fixture**
H: 115 mm Ø: 300 mm



Direct Lighting Option



Direct + Indirect Lighting Option



Wall Mounted

SP120 Lighting
Ø: 600 mm **Fixture**
H: 115 mm Ø: 300 mm



Direct Lighting Option



Direct + Indirect Lighting Option



Suspended	Surface
Aobj @1000 Hz: 0,52	Aobj @1000 Hz: 0,47

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Bowl Wall Mounted



Bowl Pendant Lighting

RIPPLE

Lighting

Dimensions



Ambiance Lighting

Pendant Lighting - Ambiance

SP200
Ø: 900mm
H: 200mm

Lighting Fixture
Ø: 220mm

SP202
Ø: 1150mm
H: 251mm

Lighting Fixture
Ø: 240mm



Task Lighting

Pendant Lighting - Task

SP201
Ø: 900mm
H: 200mm

Lighting Fixture
Ø: 220mm

SP203
Ø: 1150mm
H: 251mm

Lighting Fixture
Ø: 240mm



Ambiance Lighting

Surface Mounted - Ambiance

SP 206
Ø: 900mm
H: 200mm

Lighting Fixture
Ø: 220mm

SP207
Ø: 1150mm
H: 251mm

Lighting Fixture
Ø: 240mm



Task Lighting

Surface Mounted - Task

SP206
Ø: 900mm
H: 200mm

Lighting Fixture
Ø: 220mm

SP208
Ø: 1150mm
H: 251mm

Lighting Fixture
Ø: 240mm



Wall Mounted

SP210
Ø: 900mm
H: 200mm

Lighting Fixture
Ø: 240mm



Wall Mounted

SP220
Ø: 1150mm
H: 251mm

Lighting Fixture
Ø: 240mm



Suspended	Surface
Aobj @1000 Hz: 0,40	Aobj @1000 Hz: 0,51

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Ripple - Bowl Wall Mounted



Ripple Pendant Ambiance Lighting

LINE

Lighting

Dimensions



Line Wall Lamp

SP270
W: 220mm
L: 1650mm
D: 110mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

NewGlow

NewGlow Collection offers a high-performance acoustic solution with integrated LED lighting to your interior spaces!

The Collection is the first in our new line of acoustic luminaires which was developed to enhance productivity and creativity.



Topolight



Conic



Pumpkin



Designed by
David FOX



Nube



Designed by
Yonoh Creative Studio



Sea Urchin



Designed by
Hande Özge CANLIER

TOPOLIGHT

Lighting

Dimensions



NG100
Ø: 900mm
H: 425mm

Lighting Fixture
Ø: 120mm



NG110
Ø: 600mm
H: 285mm

Lighting Fixture
Ø: 120mm



Topolight Ø60	Topolight Ø90
Aobj @1000 Hz: 0,40	Aobj @1000 Hz: 0,90

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



CONIC

Lighting

Dimensions



NG200
Ø: 470mm
H: 200mm



Aobj @1000 Hz: 0,18

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



PUMPKIN

Lighting

Dimensions



NG410
Ø: 900mm
H: 400mm

Lighting Fixture
Ø: 120mm



NG400
Ø: 600mm
H: 260mm

Lighting Fixture
Ø: 120mm



Natural	Mandarin
Aobj @1000 Hz: 0,43	Aobj @1000 Hz: 0,47

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



NUBE

Lighting

Dimensions



NG520
Ø: 600mm
H: 240mm

Lighting Fixture
Ø: 120mm



NG510
Ø: 590mm
H: 180mm

Lighting Fixture
Ø: 120mm



NG500
Ø: 600mm
H: 240mm

Lighting Fixture
Ø: 120mm



	Natural	Mandarin
NG520	Aobj @1000 Hz: 0,4	Aobj @1000 Hz: 0,4
NG510	Aobj @1000 Hz: 0,3	Aobj @1000 Hz: 0,3
NG500	Aobj @1000 Hz: 0,5	Aobj @1000 Hz: 0,5

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





SEA URCHIN

Lighting

Dimensions



Ambiance Lighting

Sea Urchin
Pendant Lighting - Ambiance

NG600
Ø: 650mm
H: 180mm



Task Lighting

Sea Urchin
Pendant Lighting - Task

NG610
Ø: 650mm
H: 180mm



Ambiance Lighting

Doouble Sea Urchin
Pendant Lighting - Ambiance

NG660
Ø: 650mm
H: 360mm



Task Lighting

Double Sea Urchin
Pendant Lighting - Task

NG650
Ø: 650mm
H: 360mm



Sea Urchin
Wall Lamp

NG620
Ø: 650mm
H: 180mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

MakeUp

Ayça AKKAYA KUL, the co-founder of Mimaristudio, graduated from Yıldız Technical University, Faculty of Architecture, School of Architecture in 2000, then completed her master's Degree from İstanbul Technical University, Institute of Science, Industrial Design.

Architizer
A+PRODUCTS
FINALIST
2021



Designed by **Ayça AKKAYA KUL**



Panel



Divider



Lighting



Baffle

MAKE UP WALL & CEILING PANEL



Wall Panel

Ceiling Panel

Dimensions



MU100
W: 240mm
L: 1800mm
D: 90mm



	Standart		Product + Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.90	-	1.00	-
α_w	0.90	-	0.95	-
Class	A	-	A	-

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



MAKE UP LIGHTING

Lighting

Dimensions



Linear Lighting - Suspended

MU400
W: 260mm
L: 1800mm
H: 90mm



Linear Lighting - Surface Mounted

MU401
W: 260mm
L: 1800mm
H: 90mm



Linear + Spot Lighting - Suspended

MU410
W: 260mm
L: 1800mm
H: 90mm



Linear + Spot Lighting - Surface Mounted

MU411
W: 260mm
L: 1800mm
H: 90mm



Linear + Spot Lighting - Suspended	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.20
500	0.40
1000	0.60
2000	0.70
4000	0.90
	Average 250 - 4000 Hz

Linear Lighting - Suspended	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.20
500	0.30
1000	0.60
2000	0.70
4000	0.90
	Average 250 - 4000 Hz

Linear Lighting - Surface Mounted	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.18
500	0.60
1000	0.90
2000	0.60
4000	0.70
	Average 250 - 4000 Hz

Linear + Spot Lighting - Surface Mounted	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.30
500	0.65
1000	0.80
2000	0.70
4000	0.50
	Average 250 - 4000 Hz

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





MAKE UP DIVIDER

Furniture

Architizer
A+PRODUCTS
FINALIST
2021

Dimensions





Double Base

MU200
W: 240mm
H: 1800mm
D: 130mm

Base
W: 315mm
L: 540mm
D: 30mm





Triple Base

MU210
W: 240mm
H: 1800mm
D: 130mm

Base
W: 315mm
L: 810mm
D: 30mm





Quatro Base

MU220
W: 240mm
H: 1800mm
D: 130mm

Base
W: 315mm
L: 1080mm
D: 30mm



Aobj @1000 Hz: 2,00

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.







MAKE UP BAFFLE

Ceiling

Dimensions



Surface Mounted

MU300
W: 1800mm
L: 3000mm
H: 260mm
Gap: 180mm



Suspended

MU310
W: 1800mm
L: 3000mm
H: 260mm
Gap: 180mm



Surface Mounted

MU300
W: 1800mm
L: 3000mm
H: 260mm
Gap: 240mm



Suspended

MU310
W: 1800mm
L: 3000mm
H: 260mm
Gap: 240mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.





FELTOUCH

RA



Designed by **Ayça AKKAYA KUL**



RA Task Lighting



RA Circle Task Lighting



RA Ambiance Lighting



RA Circle Ambiance Lighting



RA Wall Lamp



RA Circle Wall Lamp



Just RA Cloud



Just RA Circle Cloud

RA CLOUD & RA LIGHTING

Ceiling Lighting

Dimensions



Just RA Cloud

RA120
W: 700mm
L: 1200mm
H: 140mm



RA Task Lighting

RA100
W: 700mm
L: 1200mm
H: 270mm



RA Ambiance Lighting

RA110
W: 700mm
L: 1200mm
H: 70mm



RA Wall Lamp

RA130
W: 700mm
L: 1200mm
H: 56mm



RA Task Lighting	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.57
500	0.95
1000	1.26
2000	1.58
4000	1.69
Average 250 - 4000 Hz	

RA Ambiance Lighting	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.06
500	0.22
1000	0.61
2000	0.92
4000	1.00
Average 250 - 4000 Hz	

RA Wall Lamp	
Frekans f (Hz)	A_T 1/3 oktav (m^2)
250	0.06
500	0.22
1000	0.61
2000	0.92
4000	1.00
Average 250 - 4000 Hz	

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Pelsan Textile Office



Pelsan Textile Office

RA CIRCLE CLOUD & RA CIRCLE LIGHTING



Dimensions



Just RA Circle Cloud

RA300	RA310	RA320
Ø: 1000mm	Ø: 1200mm	Ø: 1400mm
H: 135mm	H: 135mm	H: 135mm



RA Circle Task Lighting

RA230	RA240	RA250
Ø: 1000mm	Ø: 1200mm	Ø: 1400mm
H: 255mm	H: 255mm	H: 255mm



RA Circle Ambiance Lighting

RA200	RA210	RA220
Ø: 1000mm	Ø: 1200mm	Ø: 1400mm
H: 60mm	H: 60mm	H: 60mm



Just Circle Wall Lamp

RA260	RA270	RA280
Ø: 1000mm	Ø: 1200mm	Ø: 1400mm
H: 135mm	H: 135mm	H: 135mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

Lay-In



Waffle Lay-In
Designed by **Kerem Özmen**



Vertigo Lay-In
Designed by **Yiğit Özer**



Cracker Lay-In
Designed by **Kerem Özmen**



Volta Lay-In
Designed by **Kerem Özmen**



Tuana Lay-ın
Designed by **U Design Architecture & Altun Architects**

WAFFLE LAY-IN

Ceiling

Dimensions



FL221
W: 595mm
L: 595mm
H: 30mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

CRACKER LAY-IN



Ceiling

Dimensions



FL480
W: 595mm
L: 595mm
H: 50mm



FL490
W: 595mm
L: 1195mm
H: 50mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

VERTIGO LAY-IN

Ceiling

Dimensions



SS252
W: 595mm
L: 595mm
H: 50mm



SS251
W: 595mm
L: 1195mm
H: 50mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

VOLTA



Ceiling

Dimensions



VL1260
W: 1195mm
L: 595mm
H: 130mm



VL6012
W: 595mm
L: 1195mm
H: 130mm



VL6024
W: 595mm
L: 2395mm
H: 130mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

TUANA LAY-IN

Ceiling

Dimensions



Tuana Lay-In

TU7060
W: 595mm
L: 1195mm
H: 70mm



Tuana Lay-In Lighting

TU7060L
W: 595mm
L: 1195mm
H: 70mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

Zen



Designed by **Ayça AKKAYA KUL**



Panel



Cloud



Divider

ZEN WALL & CEILING PANEL



Wall Panel Ceiling Panel

Dimensions



Zen Edge

ZN200
W: 1200mm
H: 302400mm
D: 70mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

ZEN CLOUD

Ceiling

Dimensions



Zen Edge Cloud
ZN210
W: 1200mm
H: 2400mm
D: 70mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

ZEN DIVIDER



Ceiling

Dimensions



Zen Divider L

ZN300B
W: 1150mm
H: 1970mm
D: 20mm

Base
W: 380mm
L: 1000mm
D: 8mm



Zen Divider M

ZN310B
W: 1150mm
H: 1600mm
D: 20mm

ZN310B
W: 380mm
L: 1000mm
D: 8mm



Zen Divider S

ZN320B
W: 1150mm
H: 360mm
D: 20mm

ZN320B
W: 150mm
L: 900mm
D: 8mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTOUCH

Baffle



Modul Baffle



Baffle Lamella



Feltra Baffle



Air Felt Baffle

MODUL BAFFLE

Ceiling

Dimensions



Straight

MBFL300 W: 1200mm L: 3000mm H: 140mm CTC: 160mm
MBFL303 W: 1200mm L: 3000mm H: 120mm CTC: 140mm
MBFL306 W: 1200mm L: 3000mm H: 100mm CTC: 120mm
MBFL313 W: 1200mm L: 3000mm H: 80mm CTC: 100mm



Straight

MBFL301 W: 1800mm L: 3000mm H: 140mm CTC: 160mm
MBFL304 W: 1800mm L: 3000mm H: 120mm CTC: 140mm
MBFL307 W: 1800mm L: 3000mm H: 100mm CTC: 120mm
MBFL315 W: 1800mm L: 3000mm H: 80mm CTC: 100mm



Straight

MBFL302 W: 2400mm L: 3000mm H: 140mm CTC: 160mm
MBFL305 W: 2400mm L: 3000mm H: 120mm CTC: 140mm
MBFL308 W: 2400mm L: 3000mm H: 100mm CTC: 120mm
MBFL314 W: 2400mm L: 3000mm H: 80mm CTC: 100mm



Straight

MBFL309 W: 3000mm L: 3000mm H: 140mm CTC: 160mm
MBFL310 W: 3000mm L: 3000mm H: 120mm CTC: 140mm
MBFL311 W: 3000mm L: 3000mm H: 100mm CTC: 120mm
MBFL312 W: 3000mm L: 3000mm H: 80mm CTC: 100mm



Wave

MBFL320 W: 1200mm L: 3000mm H: 140mm CTC: 160mm
MBFL323 W: 1200mm L: 3000mm H: 120mm CTC: 140mm
MBFL326 W: 1200mm L: 3000mm H: 100mm CTC: 120mm
MBFL316 W: 1200mm L: 3000mm H: 80mm CTC: 100mm



Wave

MBFL321 W: 1800mm L: 3000mm H: 140mm CTC: 160mm
MBFL324 W: 1800mm L: 3000mm H: 120mm CTC: 140mm
MBFL327 W: 1800mm L: 3000mm H: 100mm CTC: 120mm
MBFL317 W: 1800mm L: 3000mm H: 80mm CTC: 100mm



Wave

MBFL322 W: 2400mm L: 3000mm H: 140mm CTC: 160mm
MBFL325 W: 2400mm L: 3000mm H: 120mm CTC: 140mm
MBFL328 W: 2400mm L: 3000mm H: 100mm CTC: 120mm
MBFL329 W: 2400mm L: 3000mm H: 80mm CTC: 100mm



Wave

MBFL360 W: 3000mm L: 3000mm H: 140mm CTC: 160mm
MBFL361 W: 3000mm L: 3000mm H: 120mm CTC: 140mm
MBFL362 W: 3000mm L: 3000mm H: 100mm CTC: 120mm
MBFL363 W: 3000mm L: 3000mm H: 80mm CTC: 100mm



Rate

MBFL330 W: 1200mm L: 3000mm H: 140mm CTC: 160mm
MBFL333 W: 1200mm L: 3000mm H: 120mm CTC: 140mm
MBFL336 W: 1200mm L: 3000mm H: 100mm CTC: 120mm
MBFL346 W: 1200mm L: 3000mm H: 80mm CTC: 100mm



Rate

MBFL331 W: 1800mm L: 3000mm H: 140mm CTC: 160mm
MBFL334 W: 1800mm L: 3000mm H: 120mm CTC: 140mm
MBFL337 W: 1800mm L: 3000mm H: 100mm CTC: 120mm
MBFL345 W: 1800mm L: 3000mm H: 80mm CTC: 100mm



Rate

MBFL332 W: 2400mm L: 3000mm H: 140mm CTC: 160mm
MBFL335 W: 2400mm L: 3000mm H: 120mm CTC: 140mm
MBFL338 W: 2400mm L: 3000mm H: 100mm CTC: 120mm
MBFL344 W: 2400mm L: 3000mm H: 80mm CTC: 100mm



Rate

MBFL370 W: 3000mm L: 3000mm H: 140mm CTC: 160mm
MBFL371 W: 3000mm L: 3000mm H: 120mm CTC: 140mm
MBFL372 W: 3000mm L: 3000mm H: 100mm CTC: 120mm
MBFL373 W: 3000mm L: 3000mm H: 80mm CTC: 100mm

CTC: Center to Center



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Modul Baffle Straight



Modul Baffle Wave



Modul Baffle Rate

MODUL BAFFLE



Ceiling

Dimensions



Balance

MBFL340
W: 1200mm
L: 3000mm
H: 240mm
CTC: 150mm



Balance

MBFL341
W: 1600mm
L: 3000mm
H: 240mm
CTC: 150mm



Balance

MBFL342
W: 200mm
L: 3000 mm
H: 240mm
CTC: 150mm



Balance

MBFL343
W: 2600mm
L: 3000mm
H: 240mm
CTC: 150 mm

CTC: Center to Center



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Han Spaces





Han Spaces

CLOUD BAFFLE

Ceiling

Dimensions



CB120300
W: 1200mm
L: 3000mm
H: 170mm
CTC: 150mm



CB120240
W: 1200mm
L: 2400mm
H: 170mm
CTC: 150mm



CB140300
W: 1400mm
L: 3000mm
H: 170mm
CTC: 150mm



CB140240
W: 1400mm
L: 2400mm
H: 170mm
CTC: 150mm



CB14018015
W: 1400mm
L: 1800mm
H: 170mm
CTC: 150mm



CB140150
W: 1400mm
L: 1500mm
H: 170mm
CTC: 150mm



CB180300
W: 1800mm
L: 3000mm
H: 170mm
CTC: 150mm



CB180240
W: 1800mm
L: 2400mm
H: 170mm
CTC: 150mm



CB180180
W: 1800mm
L: 1800mm
H: 170mm
CTC: 150mm



CB240120
W: 2400mm
L: 1200mm
H: 170mm
CTC: 150mm



CB300120
W: 3000mm
L: 1200mm
H: 170mm
CTC: 150mm





Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

AIR BAFFLE



Ceiling

Dimensions



AB90240
W: 900mm
L: 2400mm
H: 170mm
CTC: 150mm



AB120240
W: 1200mm
L: 2400mm
H: 170mm
CTC: 150mm



AB150240
W: 1500mm
L: 2400mm
H: 170mm
CTC: 150mm



AB180240
W: 1800mm
L: 2400mm
H: 170mm
CTC: 150mm



AB240240
W: 2400mm
L: 2400mm
H: 170mm
CTC: 150mm



AB300240
W: 3000mm
L: 2400mm
H: 170mm
CTC: 150mm



AB300300
W: 3000mm
L: 3000mm
H: 170mm
CTC: 150mm



AB300120
W: 3000mm
L: 1200mm
H: 170mm
CTC: 150mm



AB240120
W: 2400mm
L: 1200mm
H: 170mm
CTC: 150mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

BAFFLE LAMELLA



Ceiling

Dimensions



08120
W: 1200mm
H: 80mm

10120
W: 1200mm
H: 100mm

12120
W: 1200mm
H: 120mm

14120
W: 1200mm
H: 140mm



08180
W: 1800mm
H: 80mm

10180
W: 1800mm
H: 100mm

12180
W: 1800mm
H: 120mm

14180
W: 1800mm
H: 140mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

BAFFLE LAMELLA



Ceiling

Dimensions



08240
W: 2400mm
H: 80mm

10240
W: 2400mm
H: 100mm

12240
W: 2400mm
H: 120mm

14240
W: 2400mm
H: 140mm



08300
W: 3000mm
H: 80mm

10300
W: 3000mm
H: 100mm

12300
W: 3000mm
H: 120mm

14300
W: 3000mm
H: 140mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTRA BAFFLE

Ceiling

Dimensions



FT200
W: 1400mm
H: 450mm
D: 27mm

FT210
W: 1800mm
H: 450mm
D: 27mm

FT220
W: 2400mm
H: 450mm
D: 27mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

FELTRA BAFFLE

Ceiling

Dimensions



FT230
W: 1400mm
H: 600mm
D: 27mm

FT240
W: 1800mm
H: 600mm
D: 27mm

FT250
W: 2400mm
H: 600mm
D: 27mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

AIR-FELT BAFFLE

Ceiling

Dimensions



AF315120 W: 1200mm H: 150mm D: 25mm
AF415120 W: 1200mm H: 150mm D: 40mm
AF515120 W: 1200mm H: 150mm D: 50mm



AF315180 W: 1800mm H: 150mm D: 25mm
AF415180 W: 1800mm H: 150mm D: 40mm
AF515180 W: 1800mm H: 150mm D: 50mm



AF315240 W: 2400mm H: 150mm D: 25mm
AF415240 W: 2400mm H: 150mm D: 40mm
AF515240 W: 2400mm H: 150mm D: 50mm



AF315300 W: 3000mm H: 150mm D: 25mm
AF415300 W: 3000mm H: 150mm D: 40mm
AF515300 W: 3000mm H: 150mm D: 50mm







	Canopy		Canopy +Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.55	0.55	0.60	0.60
α_w	0.50	0.50	0.50	0.50

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

AIR-FELT BAFFLE

Ceiling

Dimensions



AF320120 W: 1200mm H: 200mm D: 25mm
AF420120 W: 1200mm H: 200mm D: 40mm
AF520120 W: 1200mm H: 200mm D: 50mm



AF320180 W: 1800mm H: 200mm D: 25mm
AF420180 W: 1800mm H: 200mm D: 40mm
AF520180 W: 1800mm H: 200mm D: 50mm



AF320240 W: 2400mm H: 200mm D: 25mm
AF420240 W: 2400mm H: 200mm D: 40mm
AF520240 W: 2400mm H: 200mm D: 50mm



AF320300 W: 3000mm H: 200mm D: 25mm
AF420300 W: 3000mm H: 200mm D: 40mm
AF520300 W: 3000mm H: 200mm D: 50mm







	Canopy		Canopy +Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.55	0.55	0.60	0.60
α_w	0.50	0.50	0.50	0.50

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.

AIR-FELT BAFFLE



Ceiling

Dimensions



AF330120
W: 1200mm
H: 300mm
D: 25mm

AF430120
W: 1200mm
H: 300mm
D: 40mm

AF530120
W: 1200mm
H: 300mm
D: 50mm



AF330180
W: 1800mm
H: 300mm
D: 25mm

AF430180
W: 1800mm
H: 300mm
D: 40mm

AF530180
W: 1800mm
H: 300mm
D: 50mm



AF330240
W: 2400mm
H: 300mm
D: 25mm

AF430240
W: 2400mm
H: 300mm
D: 40mm

AF530240
W: 2400mm
H: 300mm
D: 50mm



AF330300
W: 3000mm
H: 300mm
D: 25mm

AF430300
W: 3000mm
H: 300mm
D: 40mm

AF530300
W: 3000mm
H: 300mm
D: 50mm







	Canopy		Canopy +Feltfill	
	Natural	Mandarin	Natural	Mandarin
NRC	0.55	0.55	0.60	0.60
α_w	0.50	0.50	0.50	0.50

Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Tu Delft University



Tu Delft University

ZERO BRICK

Ceiling

Dimensions



ZB02
W: 300mm
L: 150mm
Thickness: 11mm



ZB03
W: 300mm
L: 150mm
Thickness: 11mm



ZB06
W: 300mm
L: 150mm
Thickness: 11mm



ZB0203
W: 300mm
L: 150mm
Thickness: 11mm



ZB0306
W: 300mm
L: 150mm
Thickness: 11mm



ZBM
W: 300mm
L: 150mm
Thickness: 11mm



Ses yutum katsayısı ölçüm ve hesaplamaları TS EN ISO 354, TS EN ISO 11654 ve ASTM C423 standartlarına göre yapılmıştır.
Sound absorption coefficient measurements and calculations according to TS EN ISO 354, TS EN ISO 11654 and ASTM C423 standards.



Feltouch Product used; **Flux**

Project Name: **Rödl & Partner Turkey,** Interior Designed by: **EE Istanbul**



Feltouch Product used; **Make-Up Lighting**

Project Name: **Rödl & Partner Turkey,** Interior Designed by: **EE Istanbul**



Feltouch Product used; **Ripple**

Project Name: **Rödl & Partner Turkey,** Interior Designed by: **EE Istanbul**



Feltouch Product used; **Ripple**



Feltouch Product used; **Ripple**

Project Name: **Rödl & Partner Turkey,** Interior Designed by: **EE Istanbul**



Feltouch Product used; **Straight Baffle**



Feltouch Product used; **Chevrone**

Project Name: **Eczacıbaşı,** Interior Designed by: **MUUM Architects**



Feltouch Product used; **Grid Ceiling**

Project Name: **Eczacıbaşı,** Interior Designed by: **MUUM Architects**



Feltouch Product used; **Baffle**

Project Name: **Codeway,** Interior Designed by: **Erginoğlu & Çalışlar**



Feltouch Product used; **Grid Ceiling**



Feltouch Product used; **Octopus**

Project Name: **Codeway,** Interior Designed by: **Erginoğlu & Çalışlar**



Feltouch Product used; **Flat Cloud**



Feltouch Product used; **Flat Cloud**

Project Name: **Arkestra,** Interior Designed by: **Tayfun Mumcu Interior Architect**



Feltouch Product used; **Flat Cloud**

Project Name: **Arkestra,** Interior Designed by: **Tayfun Mumcu Interior Architect**



Feltouch Product used; **Line**

Project Name: **Bupa Acıbadem,** Interior Designed by: **A4 Mimarlık**



Feltouch Product used; **Line**



Feltouch Product used; **Line**

Project Name: **Bupa Acıbadem,** Interior Designed by: **A4 Mimarlık**



Feltouch Product used; **Flat Cloud**



Feltouch Products used; **Plate**

Project Name: **IYZICO,** Interior Designed by: **Bakırküre Architects**



Feltouch Product used; **Plate**

Project Name: **IYZICO,** Interior Designed by: **Bakırküre Architects**



Feltouch Product used; **Plate**

Project Name: **IYZICO,** Interior Designed by: **Bakırküre Architects**



Feltouch Product used; **Plate**



Feltouch Product used; **Ripple**

Project Name: **Mercesed-Benz Group,** Interior Designed by: **Boytorun Architects**



Feltouch Product used; **Manta**

Project Name: **Istac,** Interior Designed by: **Görkem Volkan Design Studio**



Feltouch Product used; **Ripple**

Project Name: **Bupa Acıbadem,** Interior Designed by: **A4 Mimarlık**



Feltouch Product used; **Cracker / Pebble**

Project Name: **Arsan Kimya,** Interior Designed by: **Bakırküre Architects**



Feltouch Product used; **Topolight**



Feltouch Product used; **Line**

Project Name: **Bupa Acıbadem,** Interior Designed by: **A4 Mimarlık**



Feltouch Product used; **Forest Mesh**

Project Name: **THY - Turkish Airlines**



Feltouch Product used; **Plate**

Project Name: **THY - Turkish Airlines**



Feltouch Product used; **Flat Cloud**



Feltouch Product used; **Cracker Cloud Lighting**



Feltouch Product used; **Cracker Edge**

Project Name: **THY - Turkish Airlines**



Feltouch Product used; **Straight Baffle**

Project Name: **THY - Turkish Airlines**



Feltouch Product used; **Vertigo Cloud Lighting**

Project Name: **Teb Arval,** Interior Designed by: **Mürekkep Tasarım Atölyesi**



Feltouch Product used; **Vertigo Cloud Lighting**

Project Name: **Teb Arval,** Interior Designed by: **Mürekkep Tasarım Atölyesi**



Feltouch Product used; **Manta**

Project Name: **Istac,** Interior Designed by: **Görkem Volkan Design Studio**



Feltouch Product used; **Manta**

Project Name: **Istac,** Interior Designed by: **Görkem Volkan Design Studio**



Feltouch Product used; **Grid Ceiling / Flat Cloud Lighting**

Project Name: **Unilever,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Product used; **Grid Ceiling**

Project Name: **Unilever,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Product used; **Ripple Suspended Lighting**



Feltouch Product used; **Ripple Suspended Lighting**

Project Name: **Unilever,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Product used; **Mesh Room**



Feltouch Product used; **Mesh Room**

Project Name: **Vakıfbank,** Interior Designed by: **Rec**



Feltouch Product used; **Grid Ceiling**



Feltouch Products used; **Line**

Project Name: **Mercesed-Benz Group,** Interior Designed by: **Boytorun Architects**



Feltouch Product used; **Grid Ceiling**

Project Name: **Mercesed-Benz Group,** Interior Designed by: **Boytorun Architects**



Feltouch Product used; **Grid Ceiling / Flat Cloud Lighting**

Project Name: **Mercesed-Benz Group,** Interior Designed by: **Boytorun Architects**



Feltouch Product used; **Grid Ceiling**

Project Name: **Mercesed-Benz Group,** Interior Designed by: **Boytorun Architects**



Feltouch Product used; **Tiles Collection**

Project Name: **Vodafone Hungary,** Interior Designed by: **Ahrend Hungary**



Feltouch Product used; **Tiles Collection**

Project Name: **Vodafone Hungary,** Interior Designed by: **Ahrend Hungary**



Feltouch Products used; **MakUp Baffle**



Feltouch Products used; **Ra Lighting**

Project Name: **Pelsan Textile Office,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Ra Lighting**

Project Name: **Pelsan Textile Office,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Zebra / Make-Up Lighting**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Product used; **ZigZag**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Products used; **Bowl Lighting**



Feltouch Products used; **ZigZag / Bowl Lighting**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Products used; **Bowl Lighting**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Products used; **Make-Up Divider**



Feltouch Products used; **Make-Up Divider**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Products used; **Make-Up Divider**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Products used; **ZigZag / Make-Up Lighting**



Feltouch Products used; **ZigZag**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Products used; **ZigZag**

Project Name: **Han Spaces,** Interior Designed by: **Toros & Partners**



Feltouch Product used; **Baffle**

Project Name: **Al Qaisomah Airport**



Feltouch Product used; **Baffle**

Project Name: **Al Qaisomah Airport**



Feltouch Products used; **Diagon**



Feltouch Products used; **Mesh Line**

Project Name: **Yıldız Holding**



Feltouch Products used; **Baffle Wave**

Project Name: **Yıldız Holding**



Feltouch Products used; **Flat Cloud Circle / Line**



Feltouch Products used; **Flat Cloud Circle / Ellipse Cloud**

Project Name: **Baykar,** Interior Designed by: **Norm Mimarlık**



Feltouch Products used; **Octopus**

Project Name: **Baykar,** Interior Designed by: **Norm Mimarlık**



Feltouch Product used; **Straight Baffle**

Project Name: **Baykar,** Interior Designed by: **Norm Mimarlık**



Feltouch Products used; **Plate**



Feltouch Products used; **Make-Up Lighting**

Project Name: **Baykar,** Interior Designed by: **Norm Mimarlık**



Feltouch Products used; **Octopus**

Project Name: **Logitech,** Interior Designed by: **Cushman & Wakefield**



Feltouch Products used; **Plate**



Feltouch Products used; **Flat Cloud Circle**

Project Name: **Logitech,** Interior Designed by: **Cushman & Wakefield**



Feltouch Products used; **Rhino Triangle**



Feltouch Products used; **Make-Up Wall Panel**

Project Name: **Undisclosed Client,** Interior Designed by: **AHK Matisse Tasarım Mimarlık**



Feltouch Products used; **Rhino Triangle**

Project Name: **Undisclosed Client,** Interior Designed by: **AHK Matisse Tasarım Mimarlık**



Feltouch Products used; **Make-Up Baffle / Make-Up Lighting**

Project Name: **Doehler,** Interior Designed by: **U Design**



Feltouch Products used; **Make-Up Wall Panel - Conic**



Feltouch Products used; **Make-Up Baffle**

Project Name: **Doehler,** Interior Designed by: **U Design**



Feltouch Products used; **Make-Up Lighting**

Project Name: **Doehler,** Interior Designed by: **U Design**



Feltouch Products used; **Make-Up Wall Panel - Conic**

Project Name: **Doehler,** Interior Designed by: **U Design**



Feltouch Products used; **Plate / Flux / Vertigo**

Project Name: **Orgatec,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Plate / Bowl / Baffle**



Feltouch Products used; **Cracker**

Project Name: **Orgatec,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Parallax / Make-Up Lighting**



Feltouch Products used; **Flux**

Project Name: **Orgatec,** Interior Designed by: **Studio 13, Architects**



Feltouch Product used; **Ripple**

Project Name: **Orgatec,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Line / Ripple**

Project Name: **Feltouch Event & Design Center,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Plate / Line**



Feltouch Products used; **Line**

Project Name: **Feltouch Event & Design Center,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Line**



Feltouch Products used; **Barkod**

Project Name: **Feltouch Event & Design Center,** Interior Designed by: **Studio 13, Architects**



Feltouch Product used; **Plate / Line**

Project Name: **Feltouch Event & Design Center,** Interior Designed by: **Studio 13, Archi-**



Feltouch Products used; **Octopus**

Project Name: **NOKIA,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Products used; **Octopus**

Project Name: **NOKIA,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Products used; **Metamorphosis**

Project Name: **NOKIA,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Products used; **Topolight**

Project Name: **NOKIA,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Products used; **Air-Felt Baffle**

Project Name: **TU Delft,** Interior Designed by: **UNStudio**



Feltouch Products used; **Air-Felt Baffle**

Project Name: **TU Delft,** Interior Designed by: **UNStudio**



Feltouch Products used; **Air-Felt Baffle**



Feltouch Products used; **Air-Felt Baffle**

Project Name: **TU Delft,** Interior Designed by: **UNStudio**



Feltouch Products used; **Plate**



Feltouch Product used; **Cracker**

Project Name: **TU Delft,** Interior Designed by: **UNStudio**



Feltouch Products used; **Flat Cloud**

Project Name: **AgeSA,** Interior Designed by: **ABBA Mimarlık**



Feltouch Product used; **Straight Baffle**



Feltouch Product used; **Flat Cloud**

Project Name: **AgeSA,** Interior Designed by: **ABBA Mimarlık**



Feltouch Product used; **Straight Baffle**

Project Name: **AgeSA,** Interior Designed by: **ABBA Mimarlık**



Feltouch Product used; **Flat Cloud**



Feltouch Product used; **Flat Cloud**

Project Name: **AgeSA,** Interior Designed by: **ABBA Mimarlık**



Feltouch Products used; **Flat Cloud**

Project Name: **A Healthcare Company,** Interior Designed by: **Jeyan Ülkü Mimarlık**



Feltouch Products used; **Flat Cloud**



Feltouch Product used; **Rectangle Cloud**

Project Name: **A Healthcare Company,** Interior Designed by: **Jeyan Ülkü Mimarlık**



Feltouch Product used; **Cracker**



Feltouch Products used; **Flat Cloud**

Project Name: **A Healthcare Company,** Interior Designed by: **Jeyan Ülkü Mimarlık**



Feltouch Products used; **Plain**

Project Name: **A Healthcare Company,** Interior Designed by: **Jeyan Ülkü Mimarlık**



Feltouch Products used; **Rectangle Cloud**

Project Name: **Health Care Company Offices,** Interior Designed by: **EE-İstanbul**



Feltouch Product used; **Chevrone**



Feltouch Product used; **Line**

Project Name: **Health Care Company Offices,** Interior Designed by: **EE-İstanbul**



Feltouch Product used; **Reflection**



Feltouch Product used; **Wave Baffle**

Project Name: **Health Care Company Offices,** Interior Designed by: **EE-İstanbul**



Feltouch Products used; **Plate**

Project Name: **Health Care Company Offices,** Interior Designed by: **EE-İstanbul**



Feltouch Products used; **Balance Baffle**

Project Name: **Han Spaces,** Interior Designed by: **Studio 13**



Feltouch Products used; **Line**



Feltouch Product used; **Topolight**

Project Name: **Han Spaces,** Interior Designed by: **Studio 13**



Feltouch Product used; **Line**



Feltouch Product used; **Line / Balance Baffle**

Project Name: **Han Spaces,** Interior Designed by: **Studio 13**



Feltouch Products used; **Line**

Project Name: **Han Spaces,** Interior Designed by: **Studio 13**



Feltouch Products used; **Straight Baffle, Flat Cloud**

Project Name: **Sendeo HQ,** Interior Designed by: **Kalemkar Mimarlık**



Feltouch Product used; **Flat Cloud Lighting**



Feltouch Product used; **Flat Cloud**

Project Name: **Sendeo HQ,** Interior Designed by: **Kalemkar Mimarlık**



Feltouch Product used; **Flat Cloud Lighting**



Feltouch Product used; **Plate**

Project Name: **Tatko Żonę,** Interior Designed by: **Team Fores**



Feltouch Product used; **Plate**



Feltouch Product used; **Plate**

Project Name: **Tatko Żonę,** Interior Designed by: **Team Fores**



Feltouch Products used; **Make Up Lighting**

Project Name: **Per Digital,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Make Up Wall Panel**

Project Name: **Per Digital,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Make Up Lighting & Make Up Wall Panel**

Project Name: **Per Digital,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Make Up Lighting**

Project Name: **Per Digital,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Straight Baffle**

Project Name: **Yelo Bank - Azerbaijan,** Interior Designed by:



Feltouch Products used; **Rhino Square**

Project Name: **Yelo Bank - Azerbaijan,** Interior Designed by:



Feltouch Products used; **Line**

Project Name: **Eczacıbaşı,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Make Up Lighting**

Project Name: **Eczacıbaşı,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Feltra Baffle**

Project Name: **Architect Technopark,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Topolight**



Feltouch Products used; **Feltra Baffle**

Project Name: **Architect Technopark,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Straight Baffle**

Project Name: **Architect 2. Stage,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Ellipse Cloud**

Project Name: **Architect 2. Stage,** Interior Designed by: **Studio 13, Architects**



Feltouch Products used; **Rhino Triangle**

Project Name: **EnerjiSA,** Interior Designed by: **Abba Mimarlık**



Feltouch Products used; **Flat Cloud**



Feltouch Products used; **Flat Cloud Circle**

Project Name: **EnerjiSA,** Interior Designed by: **Abba Mimarlık**



Feltouch Products used; **Flat Cloud**

Project Name: **EnerjiSA,** Interior Designed by: **Abba Mimarlık**



Feltouch Products used; **Flat Cloud**

Project Name: **EnerjiSA,** Interior Designed by: **Abba Mimarlık**



Feltouch Products used; **Flat Cloud**

Project Name: **EnerjiSA,** Interior Designed by: **Abba Mimarlık**



Feltouch Products used; **Flat Cloud**



Feltouch Products used; **Rhino Triangle**

Project Name: **EnerjiSA,** Interior Designed by: **Abba Mimarlık**



Feltouch Products used; **Rhino Triangle**

Project Name: **Visa,** Interior Designed by: **Jeyan Ülkü Mimarlık**



Feltouch Products used; **Rhino Triangle**



Feltouch Products used; **Straight Baffle**

Project Name: **Visa,** Interior Designed by: **Jeyan Ülkü Mimarlık**



Feltouch Products used; **Straight Baffle**

Project Name: **KKB,** Interior Designed by: **Pin Architects**



Feltouch Products used; **Mesh Square**

Project Name: **KKB,** Interior Designed by: **Pin Architects**



Feltouch Products used; **Cracker**

Project Name: **eBay** Interior Designed by: **CKMY**



Feltouch Products used; **Triangles Eq & Ellipse Cloud**



Feltouch Products used; **Topolight**

Project Name: **eBay** Interior Designed by: **CKMY**



Feltouch Products used; **Bowl**

Project Name: **Karaca HQ,** Interior Designed by: **PIXIU Design Studio**



Feltouch Products used; **Bowl**

Project Name: **Karaca HQ,** Interior Designed by: **PIXIU Design Studio**



Feltouch Products used; **Bowl**

Project Name: **Karaca HQ,** Interior Designed by: **PIXIU Design Studio**



Feltouch Products used; **Bowl**

Project Name: **Karaca HQ,** Interior Designed by: **PIXIU Design Studio**



Feltouch Products used; **Cracker**

Project Name: **Colins,** Interior Designed by: **Gönye Tasarım**



Feltouch Products used; **Flat Cloud Circle**

Project Name: **Colins,** Interior Designed by: **Gönye Tasarım**



Feltouch Products used; **Plate**

Project Name: **Colins,** Interior Designed by: **Gönye Tasarım**



Feltouch Products used; **Flat Cloud Circle**

Project Name: **Colins,** Interior Designed by: **Gönye Tasarım**



Feltouch Products used; **Topolight**

Project Name: **King Ev Aletleri,** Interior Designed by: **PIM Architects**



Feltouch Products used; **Plate**

Project Name: **CoBAC Workspace,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Make Up Lighting**

Project Name: **CoBAC Workspace,** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Make Up Lighting**



Feltouch Products used; **Flat Cloud**

Project Name: **Tekfen Tower,** Interior Designed by: **Bronz Mimarlık Tasarım**



Feltouch Products used; **Rate Baffle**

Project Name: **Tekfen Tower,** Interior Designed by: **Bronz Mimarlık Tasarım**



Feltouch Products used; **Vertigo**

Project Name: **Tekfen Tower,** Interior Designed by: **Bronz Mimarlık Tasarım**



Feltouch Products used; **Flat Cloud**



Feltouch Products used; **Rhino Square**

Project Name: **Tekfen Tower,** Interior Designed by: **Bronz Mimarlık Tasarım**



Feltouch Products used; **Plate**

Project Name: **Cisco,** Interior Designed by: **NBN Mimarlık**



Feltouch Products used; **Cracker**

Project Name: **Cisco,** Interior Designed by: **NBN Mimarlık**



Feltouch Products used; **Rhino Triangle & Straight Baffle**

Project Name: **Medical Company HQ,** Interior Designed by: **Oğuz Beyazıt Mimarlık**



Feltouch Products used; **Straight Baffle**



Feltouch Products used; **Honeycomb Cloud**

Project Name: **Medical Company HQ,** Interior Designed by: **Oğuz Beyazıt Mimarlık**



Feltouch Products used; **Ellipse Cloud**

Project Name: **JUSTWork,** Interior Designed by: **Atölye A Mimarlık**



Feltouch Products used; **Ellipse Cloud & Cracker**

Project Name: **JUSTWork,** Interior Designed by: **Atölye A Mimarlık**



Feltouch Products used; **V Plate**

Project Name: **JUSTWork,** Interior Designed by: **Atölye A Mimarlık**



Feltouch Products used; **Vertigo Trapeze**

Project Name: **JUSTWork,** Interior Designed by: **Atölye A Mimarlık**



Feltouch Products used; **Plate**

Project Name: **Accor Group HQ,** Interior Designed by: **Accor Design Team**



Feltouch Products used; **Flat Cloud**

Project Name: **Accor Group HQ,** Interior Designed by: **Accor Design Team**



Feltouch Products used; **Line**

Project Name: **Accor Group HQ,** Interior Designed by: **Accor Design Team**



Feltouch Products used; **Batura**

Project Name: **Accor Group HQ,** Interior Designed by: **Accor Design Team**



Feltouch Products used; **ZigZag**

Project Name: **All For One,** Interior Designed by: **Buun Motto**



Feltouch Products used; **Mesh Rain**

Project Name: **All For One,** Interior Designed by: **Buun Motto**



Feltouch Products used; **Plate**

Project Name: **Korn Ferry,** Interior Designed by: **Juno Mimarlık**



Feltouch Products used; **V-Plate**

Project Name: **Korn Ferry,** Interior Designed by: **Juno Mimarlık**



Feltouch Products used; **Plate**

Project Name: **Trendyol Campus,** Interior Designed by: **Erginoğlu Çalışlar Architects**



Feltouch Products used; **Plate**

Project Name: **Trendyol Campus,** Interior Designed by: **Erginoğlu Çalışlar Architects**



Feltouch Products used; **Ellipse Cloud**

Project Name: **CSL Behring,** Interior Designed by: **Diem Mühendislik Mimarlık**



Feltouch Products used; **Plate**



Feltouch Products used; **Plate**

Project Name: **SAP** Interior Designed by: **Mimaristudio**



Feltouch Products used; **Plate**

Project Name: **Coca Cola Headquarters,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Products used; **Plate**

Project Name: **Coca Cola Headquarters,** Interior Designed by: **Yalın Tan + Partners**



Feltouch Products used; **Mesh Squares & Mesh Rain**

Project Name: **Siemens Turkey R&D Offices,** Interior Designed by: **Feltouch Design Team**



Feltouch Products used; **Mesh Forest**



Feltouch Products used; **Bitter**

Project Name: **Siemens Turkey R&D Offices,** Interior Designed by: **Feltouch Design Team**



Feltouch Products used; **Mesh Forest**

Project Name: **Dr. Max,** Interior Designed by: **Červený Klobouk**



Feltouch Products used; **Frequency**

Project Name: **Dr. Max,** Interior Designed by: **Červený klobouk**



Feltouch Products used; **Magnum Baffle**

Project Name: **Hupalupa Metropol A.V.M.**



Feltouch Products used; **Magnum Baffle**



Feltouch Products used; **Magnum Baffle**

Project Name: **Hupalupa Metropol A.V.M.**



Feltouch Products used; **Diagon**

Project Name: **Alev Primary School,** Interior Designed by: **Team Fores**



Feltouch Products used; **Diagon & Manta**

Project Name: **Alev Primary School,** Interior Designed by: **Team Fores**



Feltouch Products used; **Rhino Triangle**

Project Name: **Sabancı Twin Towers,** Interior Designed by: **Team Fores**



Feltouch Products used; **Rhino Triangle**

Project Name: **Sabancı Twin Towers,** Interior Designed by: **Team Fores**



Feltouch Products used; **Cloud Frequency**

Project Name: **AT Kearney,** Interior Designed by: **IGLO Architects**



Feltouch Products used; **Flat Cloud**



Feltouch Products used; **Topolight & Cracker**

Project Name: **AT Kearney,** Interior Designed by: **IGLO Architects**



Feltouch Products used; **Cloud Frequency & Cracker**

Project Name: **AT Kearney,** Interior Designed by: **IGLO Architects**



Feltouch Products used; **Plate**

Project Name: **FOX Studios,** Interior Designed by: **R.A.S.T. Tasarım**



Feltouch Products used; **Cracker**

Project Name: **Gedik Inverting,** Interior Designed by: **Idee Decor**



Feltouch Products used; **Flat Cloud**

Project Name: **Gedik Inverting,** Interior Designed by: **Idee Decor**



Feltouch Products used; **Ellipse Cloud**

Project Name: **Mercedes,** Designed by: **TSC Construction**



Feltouch Products used; **Rhino Square**

Project Name: **Mercedes,** Designed by: **TSC Construction**



Feltouch Products used; **V-Plate & Straight Baffle**

Project Name: **Prof. Dr. Fuat Sezgin Library - Gülhane Parkı,** Interior Designed by: **Müze Sergi İşleri , KOOP Architects**



Feltouch Products used; **V-Plate & Plativity Baffle Straight**

Project Name: **Prof. Dr. Fuat Sezgin Library - Gülhane Parkı,** Interior Designed by: **Müze Sergi İşleri , KOOP Architects**



Feltouch Products used; **Cracker Cloud Lighting**

Project Name: **Edelkrone,** Interior Designed by: **Studio 86**



Feltouch Products used; **Topolight**

Project Name: **Edelkrone,** Interior Designed by: **Studio 86**



Feltouch Product used; **Spider web&Plate**

Project Name; **Office Meeting Room**



Feltouch Product used; **Astro & Ellipse Cloud**

Project Name: **Zurich Insurance,** Interior Designed by: **Erginoglu&Calislar Architects - Ecarch**



Feltouch Products used; **Ellipse Cloud**

Project Name: **Magdeburger**



Feltouch Product used; **Custom Mesh Plate**



Feltouch Product used; **Astro & Ellipse Cloud**

Project Name: **Zurich Insurance,** Interior Designed by: **Erginoglu&Calislar Architects - Ecarch**



Feltouch Product used; **Recta**

Project Name: **Tam Factoring,** Interior Designed by: **Editds Architects - Pinar Ersu**



Feltouch Products used; **Ellipse Cloud, Custom Mesh**

Project Name: **Tam Factoring,** Interior Designed by: **Editds Architects - Pinar Ersu**



Feltouch Product used; **Bitter&Spider web**

Project Name: **Tam Factoring,** Interior Designed by: **Editds Architects - Pinar Ersu**



Feltouch Product used; **Rhino Square**



Feltouch Product used; **Rhino Square**

Project Name: **Tam Factoring,** Interior Designed by: **Editds Architects - Pinar Ersu**



Feltouch Product used; **V-Plate&Spider Web**

Project Name: **Oniki Law Office,** Interior Designed by: **Yonca Sirmen Architects**



Feltouch Product used; **Mesh Rain&Cracker**



Feltouch Product used; **Spider Web**

Project Name: **Oniki Law Office,** Interior Designed by: **Yonca Sirmen Architects**



Feltouch Product used; Spider Web

Project Name: **Chef's Bistro,** Interior Designed by: **Yonca Sirmen Architects**



Feltouch Product used; **Cracker**

Project Name: **Chef's Bistro - Austria,** Interior Designed by: **Yonca Sirmen Architects**



Feltouch Product used; **Astro Cloud & Flat Cloud & Mesh Squares**

Project Name: **Workinton** Interior Designed by: **DNA Archictects**



Feltouch Product used; **Frequency & Flat Cloud**

Project Name: **Workinton** Interior Designed by: **DNA Archictects**



Feltouch Product used; **Astro Cloud**



Feltouch Product used; **Flat Cloud**

Project Name: **Workinton** Interior Designed by: **DNA Archictects**



Feltouch Product used; **Flat Cloud**



Feltouch Product used; **Flat Cloud**

Project Name: **Workinton** Interior Designed by: **DNA Archictects**



Feltouch Product used; **Plativity Baffle Straight**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Plativity Baffle Straight**

Project Name: **ODTU - CoZone** Interior Designed by:



Feltouch Product used; **Plativity Baffle Straight**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Plativity Baffle Straight**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Plate**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Plativity Baffle Straight**



Feltouch Product used; **Plativity Baffle Straight**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Cracker**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Cracker**

Project Name: **ODTU - CoZone** Interior Designed by: **Studio13 Architects**



Feltouch Products used; **Plate**

Project Name: **Aksa Jenarator - Kazancı Holding,** Interior Designed by: **Puar Interior Design**



Feltouch Products used; **Plate**

Project Name: **Aksa Jenarator - Kazancı Holding,** Interior Designed by: **Puar Interior Design**



Feltouch Product used; **V-Plate**

Project Name: **Ajinomoto,** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **V-Plate**

Project Name: **Ajinomoto,** Interior Designed by: **Studio13 Architects**



Feltouch Product used; **Plate**

Project Name: **TEB Bank - BNP PARIBAS,** Interior Designed by: **Bakirküre Architects**



Feltouch Product used; **Plate**

Project Name: **Meeting Room,** Interior Designed by: **SPM Architects**



Feltouch Product used; **Plate**



Feltouch Product used; **Plate**

Project Name: **Willis Towers Watson,** Interior Designed by: **Sebnem Kursad**



Feltouch Product used; **Plativity Baffle**

Project Name: **Willis Towers Watson,** Interior Designed by: **Sebnem Kursad**



Feltouch Product used; **Plativity Baffle Rate**

Project Name: **Office Building,** Interior Designed by: **Erginoglu&Calislar Architects - Ecarch**



Feltouch Product used; **Plativity Baffle Rate**

Project Name: **Office Building,** Interior Designed by: **Erginoglu&Calislar Architects - Ecarch**



Feltouch Product used; **Plativity Baffle Rate**

Project Name: **Office Building,** Interior Designed by: **Erginoglu&Calislar Architects - Ecarch**



Feltouch Product used; **Plativity Baffle Rate**

Project Name: **Office Building,** Interior Designed by: **Erginoglu&Calislar Architects - Ecarch**



Feltouch Product used; **Plativity Baffle Straight**

Project Name: **Büyük Klüp D'orient Cafe,** Interior Designed by: **IPD Architects**



Feltouch Product used; **Plativity Custom Baffle**

Project Name: **Büyük Klüp D'orient Cafe,** Interior Designed by: **IPD Architects**



Feltouch Product used; **Rhino Square**

Project Name: **Orka - Damat&Tween,** Interior Designed by: **Orka Design Team**



Feltouch Product used; **Rhino Square**

Project Name: **Orka - Damat&Tween,** Interior Designed by: **Orka Design Team**



Feltouch Product used; **Recta**

Project Name: **Bayer Istanbul Headquarters,** Interior Designed by: **Ünder Architects**



Feltouch Product used; **Recta**

Project Name: **Bayer Istanbul Headquarters,** Interior Designed by: **Ünder Architects**



Feltouch Product used; **Topolight**

Project Name: **Memorial Healthcare Group,** Interior Designed by: **Memorial Design Team**



Feltouch Product used; **Plate**

Project Name: **Societe General Istanbul Headquarters,** Interior Designed by: **BE Architects**



Feltouch Product used; **Bitter**

Project Name: **School Project,** Interior Designed by: **Yard Construction**



Feltouch Product used; **Bitter**

Project Name: **School Project,** Interior Designed by: **Yard Construction**



Feltouch Product used; **Bitter**

Project Name: **Office Ceiling,** Interior Designed by: Feltouch Design Team



Feltouch Product used; **Bitter**

Project Name: **Protek,** Interior Designed by: **Feltouch Design Team**



Feltouch Products used; **Conic & Plativity Custom Baffle**

Project Name: **Ömür Restaurant,** Interior Designed by: **Yonca Sirmen Architects**



Feltouch Product used; **Plativity Mesh**

Project Name: **YPU Istanbul,** Interior Designed by: **Pinar Sahin Kocabas**



Feltouch Product used; **Plativity Mesh**

Project Name: **Siemens R&D Campus** Interior Designed by: **Feltouch Design Team**



Feltouch Product used; **Plativity Mesh**

Project Name: **Siemens R&D Campus** Interior Designed by: **Feltouch Design Team**



Feltouch Products used; **Waffle, Plate, Baffle Straight & Mesh Circles**

Project Name: **Hilti,** Interior Designed by: **Arkista Architects**



Feltouch Product used; **Mesh Circles**

Project Name: **Hilti,** Interior Designed by: **Arkista Architects**



Feltouch Product used; **Rhino Square**

Project Name: **ITU Campus,** FitOut by: **Sessan**



Feltouch Product used; **Rhino Triangle**

Project Name: **BMG Australia**

DecoSound

Wall Panel · Ceiling Panel

- Batura — 500x500, 600x600
- Frequency — 500x500, 600x600
- Octopus — 500x500, 600x600
- Rhino Square — 500x500, 600x600
- Rhino Triangle — Eq. 400, Eq. 600, Eq. 800
- Manta — 500x500
- Spider Web — Hex. 250, Hex. 380
- Parallels — 200 x 400 (2 Pcs.), 400 x 800 (2 Pcs.)

Reborn

Wall Panel · Ceiling Panel

- Reflection — 300x1200
- Metamorphosis — 300x1200
- Inception — 300x1200

FlatLine

Wall Panel · Ceiling Panel · Ceiling

Waffle

- Vertical — 1200x1800
- Horizontal — 1200x1800
- Horizontal — 600x1800

Honeycomb

- Honeycomb — 600x1200
- Honeycomb Cloud — 600x1200

Plain

- Plain — 500x500 - 40, 600x600 - 40
- Plain — 500x500 - 30, 600x600 - 30

Cracker

- Cracker — 800x2400, 800x1200
- Cracker Edged — 800x1200, 800x800

Cracker Cloud

- 800x1200
- 800x2400

Cracker Cloud Lighting

- 800x1200
- 800x2400

Sense

Wall Panel · Ceiling Panel · Furniture · Ceiling

Diagon

- Double Base — 4 Options
- Triple Base — 12 Options
- Quatro Base — 12 Options

Parallax

- Form — 1200x1200
- Mono — 1200x1200
- Corner In — 1200x220

Vertigo

- Form — 2400x1200
- Mono — 2400x1200
- Corner In — 2400x190

Vertigo Trapeze

- Trapeze — 2400x1200
- Trapeze — 1200x1200

Vertigo Cloud

- 1200x1200
- 2400x1200

Vertigo Cloud Lighting

- 1200x1200
- 2400x1200
- 1200x1200
- 2400x1200

NewGlow

Lighting

- Topolight — Ø: 900 h: 425, Ø: 600 h: 285
- Pumpkin — Ø: 600 h: 260
- Conic — Ø: 450 h: 200

MakeUp

Wall Panel · Ceiling Panel · Lighting · Furniture · Ceiling

Wall & Ceiling Panel

- Wall & Ceiling Panel — 1800x240

Divider

- Double Base — 1800x2400
- Triple Base — 1800x2400
- Quatro Base — 1800x2400

Lighting

- Linear Lighting - Suspended — 1800x260
- Linear Lighting - Surface Mounted — 1800x260
- Spot Lighting - Suspended — 1800x260
- Spot Lighting - Surface Mounted — 1800x260

Baffle

- Baffle — 3000x1800 - 2 options
- Baffle — 3000x1800 - 2 options

Sparkle

Lighting

Bowl

- Bowl Suspension Rod — Ø: 600, h: 180
- Bowl Suspended Wire — Ø: 600, h: 180
- Bowl Wall Mounted — Ø: 600, h: 115
- Bowl Surface Mounted — Ø: 600, h: 115

Ripple

- Ripple Pendant Lighting — Ø: 900, h: 200
- Ripple Wall Mounted — Ø: 900, h: 200

Feltra

Furniture

- Recta — 1200x800, 900x400, 1200x1200, 1400x1800

All dimensions are in milimeters (mm)

Plativity

Hanging Lighting Ceiling

Mesh



Skew
2400x800
2400x1200



Forest
2400x800
2400x1200



Squares
2400x800
2400x1200



Circles
2400x800
2400x1200



Plus
2400x800
2400x1200



Rain
2400x800
2400x1200



Line
2400x800
2400x1200



Matrix
2400x800
2400x1200



Matrix Plus
2400x800
2400x1200



Sun
2400x1200



African
2400x800
2400x1200



Botanic
2400x800
2400x1200

Cloud



Ellipse
1200x1200
1800x1800



Magnum
1200x1200
1800x1800



Pebble
1020x1320



Astro
1200x2400
1800x900



Rectangle
1200x2400



Rectangle L
1200x2400



Square
1200x1200
1800x1800



Frequency
1200x1200

Flat Cloud



Circle
Ø 400
Ø 600
Ø 800
Ø 1200



900x700
1200x600
1800x700
1400x900
1200x1200



2400x1200
2400x600
1800x1400

Flat Cloud Lighting



Circle
Ø 600
Ø 800
Ø 1200



700x900
600x1200
600x2400



1400x1800
1200x2400



1200x1200
1400x1800
900x1400
700x1800

Plate



Plate
1400x1800
1200x2400
1400x3000



V-Plate
1400x1800
1200x2400
1400x3000

Tiles

Cladding Customizable



Triangles
400x400
600x600
1200x1200



Triangles Eq
400x400
600x600
800x800



Squares
400x400
600x600
1200x120



Rectangles
200x400
300x600
400x800



Hexagons
300x300
500x500
760x760



Circles
Ø: 400
Ø: 600
Ø: 1200



Semi Circles
r: 300 Ø: 600
r: 600 Ø: 1200



Pebble
r: 550 Ø: 1100
r: 390 Ø: 780
r: 290 Ø: 580
r: 300 Ø: 600
r: 250 Ø: 500



Stripe
1800 - 4 options
2400 - 4 options



Line
300 - 3 options
600 - 3 options
1200 - 3 options



Grid
2400x1200 - 2 options

Cube
505x600

Rombus
695x600

ZigZag
600x600
1200x1200

Brick
910x750 - 2 options

Fishbone
2400x1200

Chevrone
2400x600 - 2 options

SQ 1
600x600
600x2400

SQ 2
600x600
600x2400

SQ 3
600x600
600x2400

SQ 4
600x600
600x2400

Grill 1
600x600
600x2400

Grill 2
600x600
600x2400

Geo 1
600x600

Geo 2
600x600

Brick 1
600x600
600x2400

Brick 2
600x600
600x2400

Grid
600x600
600x2400

Greek 1
600x600
600x2400

Baffle

Ceiling

Baffle

Straight
3000x1200
3000x1800
3000x2400
3000x3000

Wave
3000x1200
3000x1800
3000x2400
3000x3000

Rate
3000x1200
3000x1800
3000x2400
3000x3000

Balance
3000x1200
3000x1600
3000x2200
3000x2600

Feltra Baffle
1400x450 - 2 options
1800x450 - 2 options
2400x450 - 2 options

Air-Felt Baffle
1200 - 4 options
1800 - 4 options
2400 - 4 options

All dimensions are in milimeters (mm)

Casambi Control Switches

	Dimensions	Code	Colour Options		Product Details
Casambi Bluetooth Control	L: 130 mm W: 43mm D: 30mm	**CSB 02**	**Black**	**White**	Casambi is based on Bluetooth Low Energy (BLE), the state-of-the-art wireless technology and the only low power wireless technology in all modern devices. With this, Casambi creates a self-organizing wireless mesh network, where each module has the intelligence of the system replicated inside it, creating a system with no single points of failure. The Casambi app is an all-in-one lighting control system. Allowing complete access to lighting manipulation through Bluetooth on your phone, the Casambi app gives you complete control over your lighting. Available to download from the Apple App store and Google Play, it is the simplist solution to controlling your lighting. Casambi has four different levels for sharing and access control. You can decide if your network is open to everyone or if other users need a password to access your network. If you have several users and devices using the same network, all the changes made with one device will be automatically updated to the other devices with Casambi cloud service.
Casambi Bluetooth + Remote Control	L: 90mm W: 90mm D: 17,5mm	**CSB 01**	**Black**	**White**	**BasicDIM Wireless Switch** This switch is a wireless controller, providing an alternative to using the app on your phone. It comes with a magnetic mount, making it simple to mount to any wall or surface. **Specification** **Material:** N/A **IP Rating:** 20 **Wireless Range:** Up to 60m **Light Source:** N/A **Mounting Type:** Wall **Battery Lifetime:** 2 - 5 years, depending on usage **BasicDIM Lifetime:** 50,000hrs **Operating Temp:** 0 ... +45 °C **Dimming:** Up / Down

FELTOUCH

Feltouch Standard Metal RAL Colour Codes

RAL 7022
MC10

NATURAL ANODIZED
MC01

RAL 7030
MC09

RAL 9016 WHITE
MC02

RAL 7044
MC04

09620.PH385 MOS GREY
MC07

RAL 9005 BLACK
MC05

RAL 9006
MC06

RAL 7016 ANTRASITE
MC03

09620.MH328 SPACE GREY
MC08

All products with aluminium or metal frames are based on RAL colours in stock. The colour of the aluminum and metal frames can be customized. There will be a price consequence and estimated delivery times will be longer than as it is. Please ask for quotation and availibility for preferred colours.

FELTOUCH
Natural Colour Codes



IVORY BEIGE
FLT06



STONE BEIGE
FLT08



MOON BEIGE
FLT05



SILVER GREY
FLT02



ASH GREY
FLT04



ANTHRACITE
FLT01



SHADOW BLACK
FLT03

Acoustic · Fire Retardant · Eco-Friendly · Recycled PET Felt · Easy Clean · 10 Year Guarantee

*The Feltouch colors you are viewing vary according to the screen characteristics of your TV / PC / tablet / smartphone, although they are selected to the closest to the original color tones. For the correct color result, we recommend that you examine the felt samples.

FELTOUCH
Mandarin Colour Codes



FLM33



FLM32



FLM01



FLM02



FLM07



FLM03



FLM40



FLM30



FLM04



FLM05



FLM27



FLM11



FLM08



FLM06



FLM09



FLM10



FLM31



FLM29



FLM34



FLM12



FLM13



FLM44



FLM45



FLM14



FLM16



FLM15



FLM18



FLM42



FLM43



FLM26



FLM17



FLM25



FLM20

FLM19

FLM41

FLM28

FLM21

FLM22

FLM23

FLM24

FLM35

FLM39

FLM46

FLM38

FLM37

FLM36

Acoustic · Fire Retardant · Eco-Friendly · Recycled PET Felt · Easy Clean · 10 Year Guarantee

*The Feltouch colors you are viewing vary according to the screen characteristics of your TV / PC / tablet / smartphone, although they are selected to the closest to the original color tones. For the correct color result, we recommend that you examine the felt samples.



FELTOUCH

FELTOUCH.COM

/feltouch /feltouchacoustics /feltouch /feltouchacoustics info@feltouch.com

© Copyright 2025